



- Fireproof structural design, API607 / API6FA Standard
- Flexible sealing ring structure, reliable seating
- Safety locking device, error prevention
- Double block & bleed
- Anti-static design

## Engineering Projects



## Partners



PTFE lined butterfly valve



Resilient seat butterfly valve



Double offset butterfly valve



Triple offset butterfly valve



Ball valve



Pipe fittings

# Our Factory



## Company Advantages

01

21 years of professional experience

03

Independent research and development team  
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



本公司生产的产品符合： 符合中国国家标准，符合国际标准和行业标准，符合客户要求，符合环保要求。

II 符合中国国家标准，符合国际标准和行业标准，符合客户要求，符合环保要求。

III 符合中国国家标准，符合国际标准和行业标准，符合客户要求，符合环保要求。

IV 符合中国国家标准，符合国际标准和行业标准，符合客户要求，符合环保要求。

符合中国国家标准 V: GB, 符合国际标准和行业标准, 符合客户要求, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

符合中国国家标准：符合中国国家标准，符合国际标准和行业标准，符合客户要求，符合环保要求，符合客户要求，符合环保要求，符合客户要求 / 符合国际标准和行业标准 / 符合客户要求 actuators, 符合国际标准和行业标准



A: 鋼製、鋁製、銅製、鉄鋼製、ステンレス製

Q: どの材質が最も適していますか？

A: 鋼製、鋁製、銅製、鉄鋼製、ステンレス製 RKSfluid 鋼製が最も適しています

Q: どの材質が最も適していますか？

A: 鋼製 RKSfluid 鋼製が最も適しています

Q: どの材質が最も適していますか？

A: 鋼製 2 ~ 5 年間の耐用年数があります

Q: どの材質が最も適していますか？

A: 鋼製 1 年間

Q: どの材質が最も適していますか？

A: 鋼製 100% の耐用年数は 2 年です

鋼製 TUV, API, WRAS, CE, ISO

鋼製 DIN, ASME, BS EN, JIS, API, AWWA

Q: どの材質が最も適していますか？

A: RKSfluid 鋼製 20 年間の耐用年数は 70 年です