



RKSfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings



Resilient seat butterfly valve



Resilient seat butterfly valve



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: DI+ Nylon

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve



Double flange resilient seat butterfly valve



Short-neck butterfly valve for petroleum

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB, 5K/10K

Size:DN50-DN1000

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Flange

ANSI 125LB/150LB

Top Flange Standard:ISO5211

Size:2"-12"

Body: DI CI

Disc :Stainless Steel

Seat : EPDM, NBR, Viton

Connection:Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: CF8, CF8M

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB

Disc: CF8 +PTFE, CF8 +PFA

Seat: PTFE

Connection: Wafer, Lug, Flange



APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



RKSfluid 于 1997 年在中国成立，是一家专业从事工业气体净化、干燥、分离、回收及处理的高新技术企业。公司拥有一流的生产设备和检测手段，产品广泛应用于石油、化工、冶金、医药、食品、电子等行业。

公司秉承“质量第一、客户至上”的经营理念，为客户提供优质的产品和服务。公司拥有完善的质量管理体系，产品符合 GB、ISO、TUV 等国际认证标准，并获得 CE、ADWO-2000、ISO9001、TS、API 等认证。

公司主要产品包括：工业气体净化设备、干燥设备、分离设备、回收设备、处理设备等。产品广泛应用于石油、化工、冶金、医药、食品、电子等行业。公司拥有完善的质量管理体系，产品符合 GB、ISO、TUV 等国际认证标准，并获得 CE、ADWO-2000、ISO9001、TS、API 等认证。

公司主要产品包括：工业气体净化设备、干燥设备、分离设备、回收设备、处理设备等。产品广泛应用于石油、化工、冶金、医药、食品、电子等行业。公司拥有完善的质量管理体系，产品符合 GB、ISO、TUV 等国际认证标准，并获得 CE、ADWO-2000、ISO9001、TS、API 等认证。

公司主要产品包括：工业气体净化设备、干燥设备、分离设备、回收设备、处理设备等。产品广泛应用于石油、化工、冶金、医药、食品、电子等行业。公司拥有完善的质量管理体系，产品符合 GB、ISO、TUV 等国际认证标准，并获得 CE、ADWO-2000、ISO9001、TS、API 等认证。

公司主要产品包括：工业气体净化设备、干燥设备、分离设备、回收设备、处理设备等。产品广泛应用于石油、化工、冶金、医药、食品、电子等行业。公司拥有完善的质量管理体系，产品符合 GB、ISO、TUV 等国际认证标准，并获得 CE、ADWO-2000、ISO9001、TS、API 等认证。

公司主要产品包括：工业气体净化设备、干燥设备、分离设备、回收设备、处理设备等。产品广泛应用于石油、化工、冶金、医药、食品、电子等行业。公司拥有完善的质量管理体系，产品符合 GB、ISO、TUV 等国际认证标准，并获得 CE、ADWO-2000、ISO9001、TS、API 等认证。

公司主要产品包括：工业气体净化设备、干燥设备、分离设备、回收设备、处理设备等。产品广泛应用于石油、化工、冶金、医药、食品、电子等行业。公司拥有完善的质量管理体系，产品符合 GB、ISO、TUV 等国际认证标准，并获得 CE、ADWO-2000、ISO9001、TS、API 等认证。

公司主要产品包括：工业气体净化设备、干燥设备、分离设备、回收设备、处理设备等。产品广泛应用于石油、化工、冶金、医药、食品、电子等行业。公司拥有完善的质量管理体系，产品符合 GB、ISO、TUV 等国际认证标准，并获得 CE、ADWO-2000、ISO9001、TS、API 等认证。

公司主要产品包括：工业气体净化设备、干燥设备、分离设备、回收设备、处理设备等。产品广泛应用于石油、化工、冶金、医药、食品、电子等行业。公司拥有完善的质量管理体系，产品符合 GB、ISO、TUV 等国际认证标准，并获得 CE、ADWO-2000、ISO9001、TS、API 等认证。

公司主要产品包括：工业气体净化设备、干燥设备、分离设备、回收设备、处理设备等。产品广泛应用于石油、化工、冶金、医药、食品、电子等行业。公司拥有完善的质量管理体系，产品符合 GB、ISO、TUV 等国际认证标准，并获得 CE、ADWO-2000、ISO9001、TS、API 等认证。

... RKS
...
... GB, ISO, ... TUV ... CE
... ADWO-2000
ISO9001, TS, API ... & ...
...
...
...
... Saddle: ...
... " ...
...!
...
...

work ...

III ...

IV ...

Prodotto ... GB, ... TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI ... / ... / ...

Q: RKSfluid의 주요 제품군은 무엇인가요?

A: RKSfluid는, 펌프, 밸브, 파이프라인, 플랜지, 엘보, 그리고 기타 산업용 부품에 사용되는 고성능 윤활유입니다. RKSfluid는 다양한 산업 분야에서 사용되며, 특히 고압 및 고온 환경에서 탁월한 성능을 발휘합니다.

Q: RKSfluid의 윤활유는 어떤 종류가 있나요?

A: RKSfluid는 다양한 산업용 윤활유를 보유하고 있으며, 펌프 오일, 밸브 오일, 그리고 파이프라인 오일 등이 대표적입니다. 또한, 특수한 산업용 윤활유도 보유하고 있습니다.

Q: RKSfluid의 윤활유는 어떤 장점이 있나요?

A: RKSfluid의 윤활유는 뛰어난 내마모성, 내산화성, 그리고 저온 유동성을 특징으로 하며, 2 ~ 5 미크론의 입자 크기를 유지하여 장비의 수명을 연장하고 유지보수 비용을 절감합니다.

Q: RKSfluid의 윤활유는 어떤 규격을 준수하나요?

A: 1 미크론 이하의 입자 크기를 유지하며, ISO 4406 기준을 준수합니다.

Q: RKSfluid의 윤활유는 어떤 인증을 받了吗?

A: 100% 정제된 윤활유를 생산하며, ISO 9001 및 ISO 14001 인증을 보유하고 있습니다. 또한, 2 미크론 이하의 입자 크기를 유지하며, ISO 4406 기준을 준수합니다.

RKSfluid의 윤활유는 TUV, API, WRAS, CE, ISO

인증 등을 받으며, DIN, ASME, BS EN, JIS, API, AWWA

Q: RKSfluid의 윤활유는 어떤 용도로 사용되나요?

A: RKSfluid는 다양한 산업용 윤활유를 생산하며, 20 미크론 이하의 입자 크기를 유지하며, ISO 4406 기준을 준수합니다. 또한, 70 미크론 이하의 입자 크기를 유지하며, ISO 4406 기준을 준수합니다.