




RKsfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings

DESIGN FEATURES

DURABLE

- 1 piece non-welded PFA molded DSS Disc stem
- Precision casting WCB/CF8M Bodies

TRIPLE SEAL



- Triple Seal: Spring loaded Mechanical seal, Radial Lip Seal, FPM
- China ONLY ONE Manufacturer 400Mpa Isostatic pressing PTFE seat, consistent density

ANTI-CORROSION

- Material: Epoxy powder: AkzoNobel, Earth Best!
- Coating Thickness: 200-250μm
- Spraying temp: over 200°C. Doesn't fade, even wipe with diethyl ether

QUALITY STANDARD

- 100% quality test, follow DIN, ASTM, JIS, GB/T, ISO, BS EN, API
- ONLY ONE Manufacturer get CE certification up to DN1800
- 2 years warranty. 15000 times On-off test, 30000 times Destructive experiment



APPLICATION SCENARIO



Industrial water application



Nuclear plant



Petroleum



Steel



Wastewater treatment



Acid-base



Food



Irrigation



Our Factory



Company Advantages

- 01 21 years of professional experience
- 02 4 factories
- 03 Independent research and development team
28 top senior professional researchers
- 04 2 professional testing centers
- 05 100% high level ex-factory inspection
- 06 High quality imported materials
- 07 2 years quality assurance, repair and replacement



centers 

[illegible]

Standard 认证: GB, CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI 认证: 中国, 美国, 加拿大, 澳大利亚, 日本, 韩国, 印度, 泰国 / 马来西亚 / 印度尼西亚, 新加坡

Exhibition Photos



[illegible]

A: RKSfluid

Q:

A: 1

符合 TUV, API, WRAS, CE, ISO 9001
 符合 DIN, ASME, BS EN, IIS, API, AWWA

:

A: RKSfluid 20 70