

DESIGN FEATURES



● TECHNICAL REQUIREMENT

- 1.Design standard:BS 5163.
- 2.Face to face:BS 5163.
- 3.Flanges standard:BS EN1092-2:1997 PN16.
- 4.Test standard:BS EN12266-1 Rate B.

● FEATURES

- Double flange metal seated gate valve
- Size Range:DN50-DN2000
- Standard-ISO/BS/DIN/AWWA/API
- Tests Standard-BS EN 12266-1
- Body Ring-Bronze/SS420/SS304/SS316
- Body-Ductile Iron /Cast Iron/Stainless Steel /WCB
- Fusion bonded epoxy coating-min 300 microns



RELATED PRODUCTS



SMALL DIAMETER GATE VALVE
DN50-DN300,PN10/16/25



METAL SEATED GATE VALVE
DN350-DN600,PN10/16/25



LARGE DIAMETER METAL SEATED GATE VALVE
DN700-DN2000,PN10/16/25

APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport





COMPANY INFORMATION



- i) 本公司拥有先进的生产设备，采用国际先进的生产技术和工艺，确保产品质量稳定可靠。
 - ii) 本公司拥有完善的质量管理体系，通过了 ISO 9001 质量管理体系认证，并通过了 GB、CNC 等多项认证，确保产品质量符合国际标准和客户要求。
 - iii) 本公司拥有专业的研发团队，具备强大的研发能力，能够为客户提供定制化的产品和服务。
 - iv) 本公司拥有完善的销售网络，产品远销全球多个国家和地区，深受客户的信赖和支持。
- v) 本公司拥有完善的质量管理体系：GB, ISO 9001, TUV CE, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609
- VI) 本公司拥有完善的质量管理体系：ISO 9001, ISO 14001, ISO 45001, GB, GB/T 19001, GB/T 24001, GB/T 28001, GB/T 19001 / GB/T 24001 / GB/T 28001, GB/T 19001

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

COMPANY QUALIFICATION



COMPANY EXHIBITION



Partners



Q: 2024年10月10日（星期三）下午2:00-3:00 线上直播

Q: RKSfluid 2024年10月10日（星期三）下午2:00-3:00 R&D 70 线上直播