



DESIGN FEATURES

DURABLE

- No-pin connection, 1 pc blow-out proof stem
- DI/CI Nodularity over 95%

ANTI-CORROSION

- Material: Epoxy powder:  , Earth Best!
- Coating Thickness: 200-250µm
- Spraying temp: over 200°C. Doesn't fade, even wipe with diethyl ether

QUALITY STANDARD

- 100% quality test, follow DIN, ASTM, JIS, GB/T, ISO, BS EN, API
- ONLY ONE Manufacturer get CE certification up to DN1800
- 2 years warranty. 15000 times On-off test, 30000 times Destructive experiment





APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



area 应用范围: 适用于各种工业流体输送系统, 包括石油、化工、制药、食品等行业。

centers 服务中心: 在全国各大城市设有服务中心, 提供技术支持、售后服务及备件供应。

reference 参考案例: 广泛应用于国内外各大工业项目, 如炼油厂、化工厂、污水处理厂等。

IV 认证: 符合 ISO 9001 质量管理体系认证, 确保产品质量稳定可靠。

Standard 标准: GB, 符合中国国家标准, 同时符合 TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609 等国际认证标准。

VI 优势: 产品性能卓越, 使用寿命长, 维护简便, 运行成本低, 交货周期短, 售后服务周到, 是您工业流体输送系统的理想选择。

Exhibition Photos



Our Certificates



