



DESIGN FEATURES

VERSATILE & RANGE

- Up to 28mm of tolerance, **DN40 ~ DN450** stock reduction
- Allows angular deflection of **+/-3°** per gasket
- Covering most common pipe materials



OPTIMAL SEALING

- **Unique gasket** with circumferential ribs sealing on corroded, scored or pitted pipes

DURABLE

- **ANTI-CORROSION**
- Thickness: **Epoxy powder coating of 200-250µm**
- Temperature : **Spraying temperature over 200°C**
Doesn't fade, even wipe with **diethyl ether**

MATERIAL

- Epoxy powder: **AkzoNobel**, Earth Best!
- Nuts: **DACROMET®** or **GEOMET®**, Earth Best!
- Cast iron: **EN-GJS-500-7**, nodularity over **95%**!
- Flange Adaptors: for most common flange standards. **PN10/16/ANSI150** drilled

APPLICATION SCENARIO



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



area 项目地址： 项目地址

centers 项目中心： 项目中心

reference 项目参考： 项目参考

IV 项目IV： 项目IV

Standard 项目标准： GB, 项目标准, 项目标准, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI 项目VI： 项目VI, 项目VI, 项目VI, 项目VI, 项目VI, 项目VI, 项目VI / 项目VI / 项目VI, 项目VI

Q: 100%의 수압을 견딜 수 있는 펌프를 찾고 있습니다.

A: 수압 펌프, 수압 펌프, Hydraulic, 수압 펌프를 찾고 있다면 RKSfluid 수압 펌프를 확인하십시오.
수압 펌프를 찾고 있다면 수압 펌프를 확인하십시오.

Q: 수압 펌프를 찾고 있습니다.

A: RKSfluid 수압 펌프를 찾고 있다면 수압 펌프를 확인하십시오.

Q: 수압 펌프를 찾고 있습니다.

A: 수압 펌프를 찾고 있다면 수압 펌프 2 ~ 5 수압 펌프를 확인하십시오.

Q: 수압 펌프를 찾고 있습니다.

A: 1 수압 펌프를 찾고 있다면 수압 펌프를 확인하십시오.

Q: 수압 펌프를 찾고 있습니다.

A: 100% 수압을 견딜 수 있는 펌프를 찾고 있다면 2 수압 펌프를 확인하십시오.
수압 펌프

수압 펌프 TUV, API, WRAS, CE, ISO 수압 펌프

수압 펌프 DIN, ASME, BS EN, JIS, API, AWWA

Q: 수압 펌프를 찾고 있습니다.

A: RKSfluid 수압 펌프를 찾고 있다면 20 수압 펌프를 확인하십시오. 70 수압 펌프를 확인하십시오.
수압 펌프를 찾고 있다면 수압 펌프를 확인하십시오.