

DESIGN FEATURES





● TECHNICAL REQUIREMENT

- 1.Design standard:BS 5163.
- 2.Face to face:BS 5163.
- 3.Flanges standard:BS EN1092-2:1997 PN16.
- 4.Test standard:BS EN12266-1 Rate B.

● FEATURES

- Double flange metal seated gate valve
- Size Range:DN50-DN2000
- Standard-ISO/BS/DIN/AWWA/API
- Tests Standard-BS EN 12266-1
- Body Ring-Bronze/SS420/SS304/SS316
- Body-Ductile Iron /Cast Iron/Stainless Steel /WCB
- Fusion bonded epoxy coating-min 300 microns



RELATED PRODUCTS



SMALL DIAMETER GATE VALVE
DN50-DN300,PN10/16/25



METAL SEATED GATE VALVE
DN350-DN600,PN10/16/25



**LARGE DIAMETER
METAL SEATED GATE VALVE**
DN700-DN2000,PN10/16/25

APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport





COMPANY INFORMATION



i) 本公司擁有先進的生產設備和技術，能夠生產各種規格、品種的鋼管，並具備完善的質量保證體系。

ii) 本公司擁有先進的 CNC 加工設備，能夠生產各種規格、品種的鋼管，並具備完善的質量保證體系，並擁有先進的檢測設備，能夠對產品進行全面的質量檢測。

iii) 本公司擁有先進的生產設備和技術，能夠生產各種規格、品種的鋼管，並具備完善的質量保證體系，並擁有先進的檢測設備，能夠對產品進行全面的質量檢測。

iv) 本公司擁有先進的生產設備和技術，能夠生產各種規格、品種的鋼管，並具備完善的質量保證體系，並擁有先進的檢測設備，能夠對產品進行全面的質量檢測。

v) 本公司擁有先進的生產設備和技術，能夠生產各種規格、品種的鋼管，並具備完善的質量保證體系，並擁有先進的檢測設備，能夠對產品進行全面的質量檢測，GB, 鋼管生產標準, 鋼管生產標準, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI) 本公司擁有先進的生產設備和技術，能夠生產各種規格、品種的鋼管，並具備完善的質量保證體系，並擁有先進的檢測設備，能夠對產品進行全面的質量檢測，鋼管生產標準, 鋼管生產標準, 鋼管生產標準, 鋼管生產標準, 鋼管生產標準, 鋼管生產標準 / 鋼管生產標準 / 鋼管生產標準, 鋼管生產標準

01

21 years of professional
experience

03

Independent research and
development team
28 top senior professional
researchers

05

100% high level ex-factory
inspection

07

2 years quality assurance,
repair and replacement

4 factories

02

2 professional testing
centers

04

High quality imported
materials

06

COMPANY QUALIFICATION



COMPANY EXHIBITION



Partners





DIN, ASME, BS EN, JIS, API, AWWA

Q: 有没有什么办法可以防止别人盗用我的代码？

A: RKSfluid 的代码是开源的，20 多年来，R&D 团队一直 70 多年来，我们一直致力于开发新的代码，