



RKSfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings

DESIGN FEATURES

VERSATILE & RANGE

- Up to **27mm** of tolerance, **DN40 ~ DN300** stock reduction
- Allows angular deflection of **+/-5°**
- Covering most common pipe materials



USER FRIENDLY

- **Economical and applicable**
- **Easy Operation**

OPTIMAL SEALING

- **Unique gasket** with circumferential ribs sealing on corroded, scored or pitted pipes

DURABLE

- **Anti-corrosion**
- Thickness: Epoxy powder coating of **200-250µm**
- Temperature : Spraying temperature over **200 °C**. Doesn't fade, even wipe with **diethyl ether**

MATERIAL

- Epoxy powder:  , Earth Best!
- Nuts: **DACROMET®** or **GEOMET®** , Earth Best!
- Cast iron: **EN-GJS-500-7** , nodularity over **95%**!



APPLICATION SCENARIO



Industrial water application



Hydroelectric generation



Sewage treatment



Water treatment



Water supply and drainage



Water transport



Pipe network in house



Irrigation



Our Factory



Q: 貴社が提供している製品の品質はどのくらい高いですか？

A: RKSfluid は 4 年間の経験と実績を誇り、品質管理に厳格に取り組んでいます。

Q: 製品の耐用年数はどのくらいですか？

A: 製品の耐用年数は 2 ~ 5 年程度です。適切なメンテナンスにより、さらに長くご利用いただけます。

Q: MOQ

A: 1 台からのご注文も承ります。

Q: 製品の保証期間はどのくらいですか？

A: 製品の保証期間は 100% 保証です。また、2 年間の保証期間も提供しております。

製品の保証期間 TUV, API, WRAS, CE, ISO certification

製品の保証期間 DIN, ASME, BS EN, JIS, API, AWWA

Q: 製品の価格設定はどのくらい合理的ですか？

A: RKSfluid は 20 年以上の R & D 経験と 70 以上の製品ラインナップを誇ります。

製品の品質と価格のバランスを重視し、お客様に最適なソリューションを提供いたします。