

**RKSfluid®**



RKSfluid®



**RKSfluid®**



**RKSfluid®**




## DESIGN FEATURES

### DURABLE

- No-pin connection, 1 pc blow-out proof stem
- DI/CI Nodularity over 95%

### ANTI-CORROSION

- Material: Epoxy powder:  , Earth Best!
- Coating Thickness: 200-250µm
- Spraying temp: over 200°C. Doesn't fade, even wipe with diethyl ether

### QUALITY STANDARD

- 100% quality test, follow DIN, ASTM, JIS, GB/T, ISO, BS EN, API
- ONLY ONE Manufacturer get CE certification up to DN1800
- 2 years warranty. 15000 times On-off test, 30000 times Destructive experiment







## APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



# Our Factory



RKSfluid 自 1997 年 1 月 1 日起 在 中国 注册 的 唯一 代理 商

代理 各种 规格 的 工业 用 液压油 和 润滑油 产品

产品 符合 国际 标准 和 客户要求

我们 拥有 完善 的 售后服务 体系

产品 符合 GB 标准

我们 拥有 完善 的 售后服务 体系

我们 拥有 完善 的 售后服务 体系

我们 拥有 完善 的 售后服务 体系

我们 拥有 完善 的 售后服务 体系

我们 拥有 完善 的 售后服务 体系

我们 拥有 完善 的 售后服务 体系

我们 拥有 完善 的 售后服务 体系





# Our Certificates

