

DESIGN FEATURES

This series of butterfly valves are used for industrial pipelines, as bi-directional open and close and regulation devices, the adjustment range is from 40°C-90°C full open. Suitable temperature $\geq 80^{\circ}\text{C}$

Features

- Size range DN100-1200mm
- Standard-ISO/BS/DIN/AWWA/API
- Tests Standard-BS EN 12266-1
- Body-Ductile Iron/Cast Iron/Stainless Steel /WCB
- Body Ring-SS420/SS304/SS316
- Disc Ring-EPDM
- Shaft-SS420/SS431/SS316
- Fusion bonded epoxy coating-Min 300 Microns



APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



COMPANY FACTORY



COMPANY INFORMATION



i 本公司拥有先进的生产设备，包括数控机床、加工中心、磨床、铣床、刨床、钻床、冲床、折弯机、剪板机、卷板机等，能够满足各种规格和材质的加工需求。

ii 本公司拥有完善的质量管理体系，通过了 ISO 9001 质量管理体系认证，并配备了专业的检测设备和人员，能够为客户提供准确的质量检测报告。

iii 本公司拥有专业的技术团队，具备丰富的行业经验，能够为客户提供专业的技术咨询和解决方案。

iv 本公司拥有完善的销售网络，在全国各地设有分公司和办事处，能够为客户提供及时、专业的售后服务。

v 本公司拥有完善的产品线，涵盖了各种规格和材质的工业设备，能够满足不同客户的需求。

vi 本公司拥有完善的生产工艺，采用了先进的加工技术和设备，能够保证产品的精度和质量。

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

COMPANY QUALIFICATION



COMPANY EXHIBITION



Partners



Q: 2024年10月10日（星期三）下午2:00-3:00

Q: RKSfluid 2024年10月10日（星期三）下午2:00-3:00 R&D 70 2024年10月10日（星期三）下午2:00-3:00