



RKSfluid®

A key Valve in Flow Control



Butterfly Valve

Ball Valve

Gate Valve

Globe Valve

Check Valve

Pipe Fittings



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: DI+ Nylon

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Double flange resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB, 5K/10K

Size:DN50-DN1000

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Flange



Short-neck butterfly valve for petroleum

ANSI 125LB/150LB

Top Flange Standard:ISO5211

Size:2"-12"

Body: DI CI

Disc :Stainless Steel

Seat : EPDM, NBR, Viton

Connection:Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: CF8, CF8M

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB

Disc: CF8 +PTFE, CF8 +PFA

Seat: PTFE

Connection: Wafer, Lug, Flange

APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



Our Factory



Our factory is located in the RKS industrial park, which was established in 1997. The factory is equipped with advanced production equipment and a professional technical team. We have a complete production process, from raw material processing to final product inspection. Our factory has a large production capacity and can meet the needs of various customers. We are committed to providing high-quality products and excellent service to our customers.

本公司产品符合 GB 标准，符合 ISO 9001 质量管理体系认证，符合 ISO 14001 环境管理体系认证，符合 TS 16949 汽车行业质量管理体系认证，符合 API 600 标准，符合 CE 认证，符合 ADWO-2000 标准，符合 TUV 认证。

RKSfluid 产品广泛应用于：GB, ISO, ADWO-2000, ISO9001, TS, API 等行业。

本公司产品符合 GB 标准，符合 ISO 9001 质量管理体系认证，符合 ISO 14001 环境管理体系认证，符合 TS 16949 汽车行业质量管理体系认证，符合 API 600 标准，符合 CE 认证，符合 ADWO-2000 标准，符合 TUV 认证。

RKSfluid 产品广泛应用于：GB, ISO, ADWO-2000, ISO9001, TS, API 等行业。

本公司产品符合 GB 标准，符合 ISO 9001 质量管理体系认证，符合 ISO 14001 环境管理体系认证，符合 TS 16949 汽车行业质量管理体系认证，符合 API 600 标准，符合 CE 认证，符合 ADWO-2000 标准，符合 TUV 认证。

RKSfluid 产品广泛应用于：GB, ISO, ADWO-2000, ISO9001, TS, API 等行业。

Exhibition Photos



Our Certificates

