



- **Suitable** for viscous liquid, V-shaped gap, flow stability, not easy to block
- **High-strength** structure, mesh screen without deformation, high safety factor, flexible increase in the number of units
- The outer surface of the filter element is smooth and easy to clean. Automated operation, backwashing consumes less liquid
- Tolerate high-intensity positive and negative pressure
- Precision filtration, accuracy range **25-500**  $\mu\text{m}$
- 304, 316L material, corrosion resistant

# Our Factory



## Company Advantages

01

21 years of professional experience

03

Independent research and development team  
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



- 1. 生產各種規格的不銹鋼閘門, 閘板, 閘機, 閘機底座, 閘機連接樑, 閘機支撐樑, 閘機底座, 閘機連接樑, 閘機支撐樑, 閘機底座, 閘機連接樑, 閘機支撐樑
- 2. 生產各種規格的不銹鋼閘門, 閘板, 閘機, 閘機底座, 閘機連接樑, 閘機支撐樑, 閘機底座, 閘機連接樑, 閘機支撐樑, 閘機底座, 閘機連接樑, 閘機支撐樑
- 3. 通過 API, AWWA, ASME, BS EN, DIN, 日本標準 JIS, TUV, CE, ISO9001, TS, OHSAS, WRAS 認證
- 4. 提供各種規格的不銹鋼閘門 R & D 服務, 歡迎各界人士垂詢, 我們將竭誠為您服務

**Exhibition Photos**





