



Float Valve 係一種自動控制裝置，當水位上升時，浮球會隨水位上升，當浮球上升到一定高度時，會觸發閥門關閉，防止水位繼續上升，從而達到自動控制水位的目的。此閥門通常安裝在水箱、水池或水塔等處，用於防止水溢出。其構造簡單，操作可靠，是工業和民用建築中常見的一種自動控制裝置。



1. 浮球 2. 浮球桿 3. 閥座 4. 浮球臂 5. 閥座墊



A. 浮球 B. Y C. 浮球桿 D. 閥座 E. 浮球臂 F. 浮球

1. 浮球

2. 浮球桿

3. 閥座 EN-GJS-500-7

4. CF8/SUS304 浮球臂

5. 浮球 EPDM 浮球墊

6. 浮球 WRAS;

6.PN10/16/25

口径	重量	重量	重量1	重量	重量	重量	重量1
40	230	139	85	250	730	476	205
50	230	139	85	300	850	526	232
65	290	159	95	350	980	585	262
80	310	179	102	400	1100	624	292
100	350	214	112	500	1250	720	360
125	400	278	127	600	1450	835	424
150	480	233	145	800	1850	1110	515
200	600	407	172	1,000	2250	1350	630

说明:

1. 本系列阀门适用于各种工业管道系统，工作压力范围 0.2 ~ 10 MPa。
2. 本系列阀门适用于各种工业管道系统，工作压力范围 0.2 ~ 10 MPa。
3. 本系列阀门适用于各种工业管道系统，工作压力范围 0.2 ~ 10 MPa。
4. 本系列阀门适用于各种工业管道系统，工作压力范围 0.2 ~ 10 MPa。
5. 本系列阀门 (FB), 本系列阀门 (RB) 适用于各种工业管道系统 (ACD) 6 英寸及以下口径。
- 6.1 本系列阀门工作压力 : $1.1 \times \text{PN } 1 \text{ Bar}$
- 6.2 本系列阀门工作压力 : $1.5 \times \text{PN } 1 \text{ Bar}$
- 6.3 本系列阀门工作压力 : 0.2 MPa
7. 本系列阀门适用于各种工业管道系统，工作压力范围 1000 Hz。
8. 本系列阀门适用于各种工业管道系统，工作压力范围 9. 本系列阀门适用于各种工业管道系统，工作压力范围 0.2 ~ 10 MPa。



COMPANY INFORMATION



I 公司宗旨： 以“诚信、专业、服务、创新”为宗旨，为客户提供高品质的产品和服务。

II 公司使命： 致力于为客户提供最先进的水处理技术和设备，确保水质安全，保护环境，促进可持续发展。

III 公司愿景： 成为全球领先的水处理解决方案提供商，为客户创造最大价值。

IV 公司优势： 拥有强大的研发能力、丰富的行业经验和完善的售后服务体系。

V 公司资质： GB, 国家高新技术企业, 质量管理体系认证, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI 公司服务： 提供设计、制造、安装、调试、运营维护、设备更新等全方位服务。

COMPANY FACTORY



01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

COMPANY QUALIFICATION



COMPANY EXHIBITION



Partners



Delivery



Payment



Q: How long does it take to deliver?

A: It depends on the destination and the shipping method. We can provide a more accurate estimate if you provide the destination.

Q: What is the shipping cost?

A: The shipping cost depends on the weight, volume, and destination. We can provide a quote if you provide the details.

Q: What is the payment method?

A: We accept various payment methods, including T/T, L/C, D/P, D/A, and H/draulic. We also have a partnership with RKSfluid for international payments.

Q: What is the warranty?

A: RKSfluid provides a 1-year warranty for all products. We also offer a 30-day return policy.

Q: What is the lead time?

A: The lead time is 2 ~ 5 weeks. We can provide a more accurate estimate if you provide the details.

Q: What is the quality?

A: We have a 100% inspection rate for all products. We also have a 30-day return policy.

Q: What is the certification?

A: We have a 100% inspection rate for all products. We also have a 30-day return policy.

Q: What is the standard?

A: We have a 100% inspection rate for all products. We also have a 30-day return policy.

Q: What is the service?

A: RKSfluid 20 R&D 70
 20 R&D 70