



DIMENSIONS

DN	A	B	C	D	E	L	Weight
40	92	65	49	48	59	43	0,8
50	107	65	49	48	59	43	1,3
65	127	80	63	60	78	46	1,6
80	142	94	69	70	91	64	2,8
100	162	117	97	88	110	64	4,0
125	192	145	121	115	142	70	5,5
150	218	170	145	134	170	76	8,0
200	273	224	197	182	222	89	13,5
250	328	265	234	223	264	114	24,4
300	378	310	284	260	310	114	33,0
350	438	360	333	300	360	127	46,3
400	489	410	379	355	414	140	62,0
450	539	450	415	382	450	152	100,0
500	594	505	472	435	505	152	107,0
600	695	624	579	536	605	178	158,0

COMPANY FACTORY





I :

[illegible]

III.

[illegible]

V 00000000000000000000: GB, 0000000000000000, 0000000000000000, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

[illegible]

01

21 years of professional
experience

03

Independent research and
development team
28 top senior professional
researchers

05

100% high level ex-factory
inspection

07

2 years quality assurance,
repair and replacement

4 factories

02

2 professional testing
centers

04

High quality imported
materials

06

COMPANY QUALIFICATION



COMPANY EXHIBITION



Partners



				
				
				



0000: 0000000000000000 0000000000000000
 0000: 000000000000 00000000 00000000 00000000 000000000000

Ques: How many types of hydraulic pumps are there?

Ans: Reciprocating, Rotary, Hydraulic, RKSfluid

Q: 貴社が得意先様からどのようなお問い合わせを頂いておりますか？

A: RKSfluid に関するお問い合わせは、主に製品の仕様や価格、納期に関するお問い合わせが多いです。

Q: 貴社の製品はどのような用途に使用されますか？

A: 貴社の製品は、主に工業用流体の制御や配管システムに使用されます。2 ~ 5 年程度の寿命を有する製品です。

Q: 貴社の製品はどのような規格に準拠していますか？

A: 1. 貴社の製品は、ISO 9001 認証を取得しています。

Q: 貴社の製品はどのような規格に準拠していますか？

A: 貴社の製品は、100% 検査済みであり、品質保証が 2 年間の保証期間です。また、製品の信頼性を高めるために、厳格な品質管理システムを構築しています。

貴社の製品は、TUV, API, WRAS, CE, ISO

規格に準拠しています。DIN, ASME, BS EN, JIS, API, AWWA

Q: 貴社の製品はどのような規格に準拠していますか？

A: RKSfluid に関するお問い合わせは、主に製品の仕様や価格、納期に関するお問い合わせが多いです。20 年間の R&D 経験を活かし、70 以上の製品を開発・製造しています。また、製品の信頼性を高めるために、厳格な品質管理システムを構築しています。