

DESIGN FEATURES



Features



- Use AkzoNobel material.
- Super Anti-corrosion
- Epoxy powder coating 200-250um,
- Baking varnish over 200°C,

NO.		
1	Body	GGG50
2	Dise	GGG40+EPDM
3	Wedge nut	C48600
4	Stem	SS431
5	Bonnet	GT450-10
6	Gasket	EPDM
7	Y-ring	EPDM85-90
8	Fix ring	CuZn21Si3/C69300
9	Thrust bearing	C69300
10	Seal ring	EPDM70
11	O ring	NBR
12	Retainer ring	POM
13	Bushing ring	POM
14	Gland	SS431
15	Dustproof ring	EPDM85
16	Dise core	GGG40
17	Bolt	SS316





Free wedge nut, reduces the stem bending forces and at the same time enables it to be easily replaced.



The more compact new cap, reduces the water retention areas in order to reduce the risk of bacterial growth.



One piece stainless steel stem in for better resistance to axial load and to with stand higher operating torques.



Three locking tab for bayonet system prevents self-dismantling.



Dust guard integrating three O-ring shape, prohibiting the introduction of foreign bodies at the stem.



Male guiding system with composite sliding skate reduces the wear of the wedge against the body, allowing a smooth functionality and a longer life time of the valve.



Triple seal at the operating stem to ensure tightness with the test of time (2500 cycles).



New male composite sliding skate technology ensuring a low operating torque even under high differential pressure and preventing damage or corrosion generated by the friction.



APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



COMPANY FACTORY



COMPANY INFORMATION



I 公司总部：中国浙江省宁波市北仑区新碶街道新碶社区新碶村新碶路1号

II 公司生产基地：中国浙江省宁波市北仑区新碶街道新碶社区新碶村新碶路1号

III 公司销售中心：中国浙江省宁波市北仑区新碶街道新碶社区新碶村新碶路1号

IV 公司研发中心：中国浙江省宁波市北仑区新碶街道新碶社区新碶村新碶路1号

V 公司认证：GB, ISO 9001, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI 公司服务：提供技术咨询、方案设计、生产制造、安装调试、售后服务、维修保养、设备更新、备件供应 / 技术支持 / 培训、现场服务等

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

COMPANY QUALIFICATION



COMPANY EXHIBITION



Partners



Delivery



Payment



F

Q: How long does it take to receive the goods after payment?
A: It depends on the shipping method. For air freight, it takes about 7-10 days. For sea freight, it takes about 30-40 days.

Q: Can you provide technical drawings and specifications?
A: Yes, we can provide technical drawings, CAD files, and specifications. We also have a team of engineers who can assist with design and manufacturing.

Q: What is the lead time for production?
A: RKSfluid lead time is approximately 2-3 weeks for standard products and 4-6 weeks for custom products.

Q: What is the minimum order quantity?
A: The minimum order quantity is 2 units. For larger quantities, we offer better prices.

Q: What is the payment method?
A: We accept 100% payment in advance.

Q: What are the certifications?
A: Our products are certified by TUV, API, WRAS, CE, ISO, DIN, ASME, BS EN, JIS, API, AWWA.

Q: How do I contact you?
A: You can contact us via email, phone, or WhatsApp.

A: RKSfluid 27 R&D 70