


100% 100%

DN20, DN25, DN32, DN40, DN50

DN20-32, DI DN40-50

- BSPP, BSPT, NPT
- 100%
- 100%
-
-
- WRAS
- EN-12266-1, Class A
- EN1074-2
- BSP EN10226/1 EN ISO 228-1 G NPT



口径	G (英寸) 接口 BSP	L (mm) 接口	重量 (kg)	高度 (mm)	扭矩 (Nm)
DN20	3/4"	95	145	27	15 □
DN25	1"	105	145	30	15 □
DN32	1 1/4"	120	150	32	15 □
DN40	1 1/2"	130	202	37	30 □
DN50	2"	150	197	45	30 □



APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



COMPANY FACTORY



COMPANY INFORMATION



I 公司名稱: 蘇州蘇聯供水設備有限公司

II 公司地址: 蘇州蘇聯供水設備有限公司 蘇州蘇聯供水設備有限公司 蘇州蘇聯供水設備有限公司 蘇州蘇聯供水設備有限公司 蘇州蘇聯供水設備有限公司

III 公司電話: 蘇州蘇聯供水設備有限公司 蘇州蘇聯供水設備有限公司 蘇州蘇聯供水設備有限公司 蘇州蘇聯供水設備有限公司 蘇州蘇聯供水設備有限公司

IV 公司傳真: 蘇州蘇聯供水設備有限公司 蘇州蘇聯供水設備有限公司 蘇州蘇聯供水設備有限公司 蘇州蘇聯供水設備有限公司 蘇州蘇聯供水設備有限公司

V 公司標準: GB, 蘇州蘇聯供水設備有限公司, 蘇州蘇聯供水設備有限公司, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI 公司產品: 蘇州蘇聯供水設備有限公司, 蘇州蘇聯供水設備有限公司, 蘇州蘇聯供水設備有限公司, 蘇州蘇聯供水設備有限公司, 蘇州蘇聯供水設備有限公司, 蘇州蘇聯供水設備有限公司, 蘇州蘇聯供水設備有限公司 / 蘇州蘇聯供水設備有限公司 / 蘇州蘇聯供水設備有限公司, 蘇州蘇聯供水設備有限公司

01

21 years of professional
experience

03

Independent research and
development team
28 top senior professional
researchers

05

100% high level ex-factory
inspection

07

2 years quality assurance,
repair and replacement

4 factories

02

2 professional testing
centers

04

High quality imported
materials

06

COMPANY QUALIFICATION



COMPANY EXHIBITION



Partners





□□: □□?

A: RKSfluid 27 R&D 70