

DESIGN FEATURES

This series of butterfly valves are used for industrial pipelines, as bi-directional open and close and regulation devices, the adjustment range is from 40°C-90°C full open. Suitable temperature $\geq 80^{\circ}\text{C}$

Features

- Size range DN100-1200mm
- Standard-ISO/BS/DIN/AWWA/API
- Tests Standard-BS EN 12266-1
- Body-Ductile Iron/Cast Iron/Stainless Steel /WCB
- Body Ring-SS420/SS304/SS316
- Disc Ring-EPDM
- Shaft-SS420/SS431/SS316
- Fusion bonded epoxy coating-Min 300 Microns



APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



COMPANY FACTORY



COMPANY INFORMATION



i) 本公司拥有先进的生产设备，包括 CNC 加工中心、数控车床、数控铣床、数控刨床、数控磨床、数控钻床、数控折弯机、数控剪板机等。

ii) 本公司拥有完善的质量管理体系，通过了 ISO 9001、ISO 14001、OHSAS 18001 等认证，并通过了 GB、ADWO-2000、TS、PED、WRC WRAS、KTW、API 6D、API 609 等认证。

unit) 本公司拥有专业的技术团队，具备丰富的行业经验，能够提供从设计、制造到安装、调试的全方位服务。

iv) 本公司拥有完善的销售网络，在全国各地设有办事处，能够快速响应客户的需求。

v) 本公司拥有完善的质量管理体系，通过了 ISO 9001、ISO 14001、OHSAS 18001 等认证，并通过了 GB、ADWO-2000、TS、PED、WRC WRAS、KTW、API 6D、API 609 等认证。

VI) 本公司拥有完善的质量管理体系，通过了 ISO 9001、ISO 14001、OHSAS 18001 等认证，并通过了 GB、ADWO-2000、TS、PED、WRC WRAS、KTW、API 6D、API 609 等认证。

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

COMPANY QUALIFICATION



