

## DESIGN FEATURES



### ● TECHNICAL REQUIREMENT

- 1.Design standard:BS 5163.
- 2.Face to face:BS 5163.
- 3.Flanges standard:BS EN1092-2:1997 PN16.
- 4.Test standard:BS EN12266-1 Rate B.

### ● FEATURES

- Double flange metal seated gate valve
- Size Range:DN50-DN2000
- Standard-ISO/BS/DIN/AWWA/API
- Tests Standard-BS EN 12266-1
- Body Ring-Bronze/SS420/SS304/SS316
- Body-Ductile Iron /Cast Iron/Stainless Steel /WCB
- Fusion bonded epoxy coating-min 300 microns



**RELATED PRODUCTS**



**SMALL DIAMETER GATE VALVE**  
DN50-DN300,PN10/16/25



**METAL SEATED GATE VALVE**  
DN350-DN600,PN10/16/25



**LARGE DIAMETER METAL SEATED GATE VALVE**  
DN700-DN2000,PN10/16/25

# APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport





COMPANY FACTORY



# COMPANY INFORMATION

---



RKS Fluid 自 1997 年

成立以來，一直致力於提供優質的流體控制解決方案。我們的產品線包括各種類型的閥門，如球閥、蝶閥、截止閥等，廣泛應用于石油、化工、電力、礦山、市政供水等行業。我們的工廠位於 Liaoning 省，擁有先進的生產設備和嚴格的質量控制體系，確保每一個產品都符合 GB 標準。

我們擁有完善的研究與開發部門，不斷研發新產品，提高生產效率。RKS 品牌已成為全球客戶信賴的選擇。

我們的產品符合以下標準：  
標準：GB, ISO, German 標準 American Standard 認證：TUV 認證  
CE 認證 ADWO- 2000, ISO9001, TS, API  
產品系列：Manual, Valve Ball Ball Valves, Vutterfly Valves  
我們提供專業的技術支持和售後服務，確保客戶滿意。

"誠信經營，品質第一" 是我們一直秉承的經營理念！



01

21 years of professional experience

03

Independent research and development team  
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

# COMPANY QUALIFICATION







