



DIMENSIONS

DN	A	B	C	D	E	L	Weight
40	92	65	49	48	59	43	0,8
50	107	65	49	48	59	43	1,3
65	127	80	63	60	78	46	1,6
80	142	94	69	70	91	64	2,8
100	162	117	97	88	110	64	4,0
125	192	145	121	115	142	70	5,5
150	218	170	145	134	170	76	8,0
200	273	224	197	182	222	89	13,5
250	328	265	234	223	264	114	24,4
300	378	310	284	260	310	114	33,0
350	438	360	333	300	360	127	46,3
400	489	410	379	355	414	140	62,0
450	539	450	415	382	450	152	100,0
500	594	505	472	435	505	152	107,0
600	695	624	579	536	605	178	158,0



COMPANY INFORMATION



i) 本公司提供之產品，均符合 ISO 9001 國際品質管理系統之要求，並獲得 ISO 9001 國際品質管理系統之認證。

ii) 本公司採用最先進之 CNC 加工設備，並擁有完善之品質管理系統，確保產品之品質與穩定性。

unit) 本公司之產品，均採用高品質之材料，並經過嚴格之品質檢驗，確保產品之耐用性與可靠性。

iv) 本公司之產品，均符合 CE 認證之要求，並獲得 CE 認證之證書。

√
GB, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI
/



COMPANY QUALIFICATION



COMPANY EXHIBITION



