



# RKSfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings





The composite seat of the RKS valve is formed by permanently gluing an elastomer to a rigid gasket ring. In addition to superior seal integrity, this design makes valve installation easier while reducing high torque and premature failure due to rubber deformation. Modular design simplifies seat replacement and ensures economical maintenance



## APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport





## Our Factory



## Company Advantages



I: 21 years of professional experience, 4 factories, 2 professional testing centers, 100% high level ex-factory inspection, 2 years quality assurance, repair and replacement, 28 top senior professional researchers, High quality imported materials

reference: 21 years of professional experience, 4 factories, 2 professional testing centers, 100% high level ex-factory inspection, 2 years quality assurance, repair and replacement, 28 top senior professional researchers, High quality imported materials

IV: 21 years of professional experience, 4 factories, 2 professional testing centers, 100% high level ex-factory inspection, 2 years quality assurance, repair and replacement, 28 top senior professional researchers, High quality imported materials

Standard 认证: GB, ISO 9001, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI 设计: 品牌识别, 展会设计, 宣传物料, 展位设计, 产品陈列, 客户接待, 现场推广 / 活动策划 / 客户互动, 展会效果评估

## Exhibition Photos





Q: RKSfluid 20 R&D 70

A: RKSfluid 20 R&D 70