



RKSfluid®


A key Valve in Flow Control




Butterfly Valve




Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings

DESIGN FEATURES

VERSATILE & RANGE

- Up to **27mm** of tolerance, **DN40 ~ DN300** stock reduction
- Allows angular deflection of **+/-5°**
- Covering most common pipe materials



USER FRIENDLY

- **Economical and applicable**
- **Easy Operation**

OPTIMAL SEALING

- **Unique gasket** with circumferential ribs sealing on corroded, scored or pitted pipes

DURABLE

- **Anti-corrosion**
- Thickness: Epoxy powder coating of **200-250µm**
- Temperature : Spraying temperature over **200 °C**. Doesn't fade, even wipe with **diethyl ether**

MATERIAL

- Epoxy powder:  , Earth Best!
- Nuts: **DACROMET®** or **GEOMET®** , Earth Best!
- Cast iron: **EN-GJS-500-7** , nodularity over **95%**!



APPLICATION SCENARIO



Industrial water application



Hydroelectric generation



Sewage treatment



Water treatment



Water supply and drainage



Water transport



Pipe network in house



Irrigation



Our Factory



RKSfluid®



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



area :

centers

reference

IV

Standard 认证: GB, CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI 设计: 符合国际惯例, 美观大方, 具有独特性, 易于识别, 具有延展性, 具有时代感 / 具有前瞻性 / 具有国际水准, 具有竞争力

Exhibition Photos



Our Certificates



认证: GB, CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI: 符合国际惯例, 美观大方, 具有独特性, 易于识别, 具有延展性, 具有时代感

VI: 具有前瞻性 / 具有国际水准, 具有竞争力

VI: 符合国际惯例, 美观大方, 具有独特性, 易于识别, 具有延展性, 具有时代感

A: 符合国际惯例, 美观大方, Hydraulic, 具有独特性, 易于识别, 具有延展性, 具有时代感 RKSfluid 具有竞争力

Q: 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

A: RKSfluid 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

Q: 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

A: 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

Q: 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

A: 1 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

100%: 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

A: 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

100% TUV, API, WRAS, CE, ISO 100%

100% DIN, ASME, BS EN, JIS, API, AWWA

100%: 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

A: RKSfluid 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%