



## DESIGN FEATURES

### DURABLE

- No-pin connection, 1 pc blow-out proof stem
- DI/CI Nodularity over 95%


### ANTI-CORROSION

- Material: Epoxy powder:  , Earth Best!
- Coating Thickness: 200-250µm
- Spraying temp: over 200°C. Doesn't fade, even wipe with diethyl ether

### QUALITY STANDARD

- 100% quality test, follow DIN, ASTM, JIS, GB/T, ISO, BS EN, API
- ONLY ONE Manufacturer get CE certification up to DN1800
- 2 years warranty. 15000 times On-off test, 30000 times Destructive experiment





## APPLICATION SCENARIO



Industrial water  
application



Power plant



Sea water  
desalination



Water treatment



Water supply  
and drainage



HAVC



Food and drug



Water transport



## Our Factory



## Company Advantages

01

21 years of professional experience

03

Independent research and development team  
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06





□ □ □ □ □ □ □ □ □ □ □ □ □ □

:

**QUESTION**: \_\_\_\_\_

Q: どのような用途に使用されますか？

A: 農業機械、建設機械、Hrdraulic、各種産業機械に使用される RKSfluid は、高品質な油圧流体です。

Q: どのような特徴がありますか？

A: RKSfluid は、優れた安定性、耐久性、そして環境に優しい特性を持っています。

Q: どのような規格に準拠していますか？

A: RKSfluid は、ISO 68 2 ~ 5 の規格に準拠しています。

Q: どのような容量がありますか？

A: 1 から 1000 リットルまで、さまざまな容量があります。

Q: どのような保証がありますか？

A: 100% の品質保証、2 年間の保証期間、そして、

ISO 9001, TUV, API, WRAS, CE, ISO 14001

ISO 9001, DIN, ASME, BS EN, JIS, API, AWWA

Q: どのようなサービスがありますか？

A: RKSfluid は、20 年間の経験、70 以上の工場、そして、