



□□□□□□□□:

- [illegible]

□ □ □ □ □ □ □ □ □ □

- 
- 
- 
- 



□□□□ **4F3F 3F2F** - □□□□□□□□

□ □ □ □ □ □ □ □ □ □ □ □ □ □

DN	φd (mm.)				φk (mm.)				N-φd (mm.)				mm		mm	
	PN10	PN16	PN25	PN40	PN10	PN16	PN25	PN40	PN10	PN16	PN25	PN40	mm	mm PN16	mm	mm PN16
50	165				φ125				4-φ19				240	13	-	-

65	185					φ145				4-φ19		8-φ19		-	-	240	13.5
80	200					φ160				8-φ19				330	15	240	14
100	220		235			φ180		φ190		8-φ19		8-φ23		390	20	330	16
150	285		300			φ240		φ250		8-φ23		8-φ28		530	40	390	23
200	340		360	375	φ295		φ310	φ320	8-φ23	12-φ23	12-φ28	12-φ31	650	65	530	44	
250	395	405	425	450	φ350	φ355	φ370	φ385	12-φ23	12-φ28	12-φ31	12-φ34	760	95	650	70	
300	445	460	485	515	φ400	φ410	φ430	φ450	12-φ23	12-φ28	16-φ31	16-φ34	860	144	760	101	
350	505	520	555	580	φ460	φ470	φ490	φ510	16-φ23	16-φ28	16-φ34	16-φ37	-	-	860	153	
400	565	580	620	660	φ515	φ525	φ550	φ585	16-φ28	16-φ31	16-φ37	16-φ40	-	-	860	163	

4F3F 3F2F -

COMPANY INFORMATION



- i
- ii CNC
- iii
- iv
- v GB, , , TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609
- VI / / ,

COMPANY FACTORY



01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

COMPANY QUALIFICATION



COMPANY EXHIBITION




Partners









[illegible]