



RKsfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: DI+ Nylon

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Double flange resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB, 5K/10K

Size:DN50-DN1000

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Flange



Short-neck butterfly valve for petroleum

ANSI 125LB/150LB

Top Flange Standard:ISO5211

Size:2"-12"

Body: DI CI

Disc :Stainless Steel

Seat : EPDM, NBR, Viton

Connection:Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: CF8, CF8M

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB

Disc: CF8 +PTFE, CF8 +PFA

Seat: PTFE

Connection: Wafer, Lug, Flange



APPLICATION SCENARIO



Industrial water
application



Power plant



Sea water
desalination



Water treatment



Water supply
and drainage



HAVC



Food and drug



Water transport



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



RKSfluid 自 1997 年以來，一直致力於為客戶提供優質的工業設備及服務。我們擁有先進的生產技術和完善的質量體系，確保每一台設備都符合國際標準。我們的產品廣泛應用於各種工業場景，為客戶提供可靠的解決方案。RKSfluid 的設備不僅性能卓越，而且操作簡便，維護方便，是您工業生產的理想選擇。我們還提供專業的技術支持和培訓服務，確保您的設備能夠長期穩定運行。歡迎垂詢，我們將竭誠為您服務。

GB 標準，符合 ISO 9001 認證。我們的設備均通過 TUV 認證，符合 CE 標準。此外，我們還擁有 ADWO-2000 認證，確保設備的安全性和可靠性。我們的產品線包括各種型號的 Saddle，適用於不同的工業需求。我們還提供定制化的設備，以滿足您的特殊要求。RKSfluid 的設備在國內外市場享有盛譽，是您工業生產的可靠保障。歡迎垂詢，我們將竭誠為您服務。

1997 年，RKSfluid 成立於中國，是一家專業的工業設備製造商。我們擁有先進的生產技術和完善的質量體系，確保每一台設備都符合國際標準。我們的產品廣泛應用於各種工業場景，為客戶提供可靠的解決方案。RKSfluid 的設備不僅性能卓越，而且操作簡便，維護方便，是您工業生產的理想選擇。我們還提供專業的技術支持和培訓服務，確保您的設備能夠長期穩定運行。歡迎垂詢，我們將竭誠為您服務。

GB 標準，符合 ISO 9001 認證。我們的設備均通過 TUV 認證，符合 CE 標準。此外，我們還擁有 ADWO-2000 認證，確保設備的安全性和可靠性。我們的產品線包括各種型號的 Saddle，適用於不同的工業需求。我們還提供定制化的設備，以滿足您的特殊要求。RKSfluid 的設備在國內外市場享有盛譽，是您工業生產的可靠保障。歡迎垂詢，我們將竭誠為您服務。

[illegible]

:

[illegible]

Q:

A: RKSfluid

Q:

[illegible]

Q:

[illegible][illegible][illegible]

□□□□□□□□□□□□□□ TUV, API, WRAS, CE, ISO

□□□□□□□□□□□□□□□□ DIN, ASME, BS EN, JIS, API, AWWA

:

A: RKSfluid 20 70

DN50-DN2000 PN10 / PN16 / ANSI 150LB / JIS10K □□□□□□□□□□□□□□□□