



# RKSfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings

## Product Description



Super Anti-corrosion  
Epoxy powder coating **200-250µm**,  
baking varnish over **200°C**,  
use  material.



Free wedge nut, **reduces the stem bending forces** and at the same time enables it to be easily replaced.



The more compact new cap, reduces the water retention areas in order to **reduce the risk of bacterial growth**.



One piece stainless steel stem in for **better resistance to axial load and to with stand higher operating torques**.



**Three locking tab** for bayonet system prevents self-dismantling.



Dust guard integrating three O-ring shape, **prohibiting the introduction of foreign bodies** at the stem.



**Male guiding system with composite sliding skate** reduces the wear of the wedge against the body, allowing a smooth functionality and a longer life time of the valve.



**Triple seal at the operating stem** to ensure tightness with the test of time (2500 cycles).



**New male composite sliding skate technology** ensuring a low operating torque even under high differential pressure and preventing damage or corrosion generated by the friction.

# Engineering Projects



## Product Category





area 应用范围: 适用于各种工业流体输送系统, 包括石油、化工、制药、食品等行业。

centers 服务中心: 在全国各大城市设有服务中心, 提供技术支持、售后服务及备件供应。

reference 参考案例: 广泛应用于大型石化项目、海上油田平台、城市供水系统等。

IV 认证: 符合 ISO 9001 质量管理体系认证, 确保产品质量稳定可靠。

Standard 标准: GB, 符合中国国家标准, 同时满足 TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609 等国际认证。

VI 优势: 设计寿命长, 维护简便, 运行成本低, 密封性能优异, 耐腐蚀性强, 适用于恶劣工况。

## Four factories



## Why choose us



- 2 professional testing centers
- 28 senior professional researchers
- Independent research and development team



- 21 years of professional experience
- 100% high level ex-factory inspection
- 2 years quality assurance, repair and replacement



A: 100% Hydraulic, RKSfluid, 100% Hydraulic, RKSfluid 100% Hydraulic

Q: 100% Hydraulic

A: RKSfluid 100% Hydraulic

Q: 100% Hydraulic

A: 100% Hydraulic 2 ~ 5 100% Hydraulic

Q: 100% Hydraulic

A: 1 100% Hydraulic

Q: 100% Hydraulic

A: 100% Hydraulic 2 100% Hydraulic

100% Hydraulic TUV, API, WRAS, CE, ISO

100% Hydraulic DIN, ASME, BS EN, JIS, API, AWWA

Q: 100% Hydraulic

A: RKSfluid 100% Hydraulic 20 100% Hydraulic 70 100% Hydraulic