

DESIGN FEATURES

DURABLE




- No-pin connection, 1 pc blow-out proof stem
- DI/CI Nodularity over 95%


ANTI-CORROSION

- Material: Epoxy powder:  , Earth Best!
- Coating Thickness: 200-250µm
- Spraying temp: over 200°C. Doesn't fade, even wipe with diethyl ether

QUALITY STANDARD

- 100% quality test, follow DIN, ASTM, JIS, GB/T, ISO, BS EN, API
- ONLY ONE Manufacturer get CE certification up to DN1800
- 2 years warranty. 15000 times On-off test, 30000 times Destructive experiment





NPS14-NPS40 Wafer/Lug with alignment holes													
Size	L	H1	H2	h	A	ΦB	C	ΦG	a	b	ΦD	n-Φd	ISO5211
NPS14	3.07	10.63	11.81	1.42	1.06	Φ13.31	12.95	-	-	-	Φ4.92	4-Φ0.55	F12
NPS16	4.02	11.81	13.58	1.69	1.26	Φ15.35	14.80	-	-	-	Φ5.50	4-Φ0.71	F14
NPS18	4.49	12.99	14.76	1.93	4.42	Φ17.20	16.61	-	-	-	Φ5.50	4-Φ0.71	F14
NPS20	5.00	15.16	16.73	2.56	-	Φ19.09	18.43	Φ2.36	0.71	2.52	Φ6.50	4-Φ0.87	F16
NPS24	6.06	17.24	19.49	2.76	-	Φ23.03	22.24	Φ2.36	0.71	2.52	Φ6.50	4-Φ0.87	F16
NPS28	6.50	20.39	22.44	3.15	-	Φ26.77	25.98	Φ2.76	0.79	2.93	Φ10.00	8-Φ0.71	F25
NPS30	6.50	21.46	24.02	3.15	-	Φ28.74	27.95	Φ2.76	0.79	2.93	Φ10.00	8-Φ0.71	F25
NPS32	7.48	22.32	25.20	3.15	-	Φ30.43	29.49	Φ2.76	0.79	2.93	Φ10.00	8-Φ0.71	F25
NPS36	7.99	25.59	27.56	3.94	-	Φ34.49	33.54	Φ3.15	0.87	3.35	Φ10.00	8-Φ0.71	F25
NPS40	8.50	28.15	29.53	3.94	-	Φ38.43	37.48	Φ3.15	0.87	3.35	Φ11.73	8-Φ0.87	F30

APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport





i: _____

[illegible]

iii)

iv

vířivky: GB, TÜV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI 000000000000: 000000000000, 00000000, 000000000000, 000000000000, 000000000000, 000000000000, 00000000 / 00000000 / 000000000000000000, 00000000000000



01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

COMPANY QUALIFICATION



COMPANY EXHIBITION



Partners





Ques: ¿Qué es la comunicación? ¿Por qué se necesita?
Rta: La comunicación es el proceso de transmitir información o ideas entre dos o más personas.

A: □□, □□□□, hrdraulic, □□□□□□□□□□RKSfluid Actuators □□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□

Q: 貴社が得意先様から受けるお問い合わせの多くはどのようなお問い合わせが多いですか？

A: RKSfluid の製品に関するお問い合わせが多いです。また、製品の仕様や価格に関するお問い合わせも多いです。

Q: 貴社の製品はどのような製品ですか？

A: 貴社の製品は、主に 2 ～ 5 年間の寿命を持つ、高品質の流体制御装置です。

Q: **MOQ**

A: 1pc から受注可能です。

Q: 貴社の製品はどのような製品ですか？

A: 貴社の製品は、主に 100% の高品質の流体制御装置です。また、製品の仕様や価格に関するお問い合わせも多いです。

貴社の製品は、TUV, API, WRAS, CE, ISO などの認証を取得しています。

また、DIN, ASME, BS EN, JIS, API, AWWA などの規格にも準拠しています。

Q: 貴社の製品はどのような製品ですか？

A: RKSfluid の製品は、主に 20 年間の寿命を持つ、高品質の流体制御装置です。また、製品の仕様や価格に関するお問い合わせも多いです。