

RKSfluid®

Proven Technology-Superior Features-Legendary Value





2PC **API6D** **ISO5211** **(CF8 / CF8M / WCB)**
150LB ~ 300LB

Two-piece ball valves, API 6D, ISO 5211, CF8 / CF8M / WCB, 150LB ~ 300LB. The valves are shown in the image, wrapped in plastic, and are available in various sizes and materials. They are suitable for various applications and are designed for easy operation. The valves are made of high-quality materials and are designed to provide reliable performance in a wide range of operating conditions. They are available in various sizes and materials, including CF8, CF8M, and WCB. The valves are designed to provide easy operation and are suitable for use in a wide range of applications. They are available in various sizes and materials, including CF8, CF8M, and WCB. The valves are designed to provide reliable performance in a wide range of operating conditions. They are available in various sizes and materials, including CF8, CF8M, and WCB.

RKSfluid offers a wide range of industrial valves, including ball valves, gate valves, and check valves. The valves are available in various sizes and materials, including CF8, CF8M, and WCB. The valves are designed to provide reliable performance in a wide range of operating conditions. They are available in various sizes and materials, including CF8, CF8M, and WCB. The valves are designed to provide easy operation and are suitable for use in a wide range of applications. They are available in various sizes and materials, including CF8, CF8M, and WCB. The valves are designed to provide reliable performance in a wide range of operating conditions. They are available in various sizes and materials, including CF8, CF8M, and WCB.

Top View

Side View



1. 材质: WCB / CF8 / CF8M / CF3 / CF3M
 2. 温度: -20°C ~ +180 °C
 3. 压力: 150LB-600LB
 4. 口径: 1/2 " ~ 12" (DN15-DN300)





Partners





PTFE lined butterfly valve



Resilient seat butterfly valve



Double offset butterfly valve



Triple offset butterfly valve



Ball valve



Pipe fittings

Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



|||||

|||

|||

IV

V: GB, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

actuators, actuators, actuators, actuators, actuators, actuators, actuators, actuators / actuators / actuators actuators, actuators

Exhibition Photos



TUV, API, WRAS, CE, ISO
DIN, ASME, BS EN, JIS, API, AWWA

A: RKSfluid 20 R&D 70