

RKSfluid®



RKSfluid®



RKSfluid®



RKSfluid®



DESIGN FEATURES

DURABLE

- No-pin connection, 1 pc blow-out proof stem
- DI/CI Nodularity over 95%


ANTI-CORROSION

- Material: Epoxy powder:  , Earth Best!
- Coating Thickness: 200-250µm
- Spraying temp: over 200°C. Doesn't fade, even wipe with diethyl ether

QUALITY STANDARD

- 100% quality test, follow DIN, ASTM, JIS, GB/T, ISO, BS EN, API
- ONLY ONE Manufacturer get CE certification up to DN1800
- 2 years warranty. 15000 times On-off test, 30000 times Destructive experiment





APPLICATION SCENARIO



Industrial water
application



Power plant



Sea water
desalination



Water treatment



Water supply
and drainage



HAVC



Food and drug



Water transport



RKSfluid 自 1997 年以來，一直致力於為全球客戶提供優質的工業閥門產品。我們擁有先進的生產設備和技術，確保每一個產品都符合國際標準。我們的產品廣泛應用於工業水處理、電力、海水淡化、水務、供水和排水、HVAC、食品藥品以及水運等領域。我們將繼續努力，為客戶提供更具競爭力的產品和服務。

[illegible][illegible][illegible]

GB 18309-2001

RKS

[illegible]

GB, ISO, TÜV, CE, ADWO- 2000,


ISO9001, TS, API 認證：通過，质量管理体系完善

[illegible]

Saddles

[illegible][illegible][illegible]

centers

reference 

IV

Standard 认证: GB, CE, FCC, RoHS, TUV

CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI 认证：CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609



Our Certificates



Our Factory

