



RK fluid®

A key Valve in Flow Control



DESIGN FEATURES

HIGHLY CUSTOMIZABLE

- According to **customer requirements**

OPTIMAL SEALING

- AWWA-C219 **absolutely leakproof**
- Internal ebonite rubber lining

CLASSIC & STURDY DESIGN

- Longitudinal adjustment of **+/- 25mm**
- **Super large** Dia & Even pressures up to **100 bar**
- **Cost-effective**, alternative for duplex stainless steel on desalination application

APPLICATION

- Perfect solution for all standard and non-standard applications in challenging famous projects worldwide
- Desalination, water pipes and **various application**


DURABLE

- ANTI-CORROSION
- Thickness: **Epoxy powder** coating of **150-200µm**
- Temperature : Spraying temperature over **200 °C**. Doesn't fade, even wipe with **diethyl ether**

MATERIAL

- Epoxy powder:  , Earth Best!
- WRAS, KTW-W270, ACS approved materials
- Cast iron: nodularity over **95%**!
- Bolts, nuts & washers: Hot Dip Galvanized or Stainless Steel **AISI316-A4**





APPLICATION SCENARIO



Industrial water application



Hydroelectric generation



Sewage treatment



Water treatment



Water supply and drainage



Water transport



Pipe network in house



Irrigation



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



I 工厂地址: 中国山东省临沂市沂水县经济开发区

II 工厂电话: 0086 153 1511 1111, 0086 153 1511 1112, 0086 153 1511 1113, 0086 153 1511 1114, 0086 153 1511 1115, 0086 153 1511 1116, 0086 153 1511 1117, 0086 153 1511 1118, 0086 153 1511 1119, 0086 153 1511 1120, 0086 153 1511 1121, 0086 153 1511 1122, 0086 153 1511 1123, 0086 153 1511 1124, 0086 153 1511 1125, 0086 153 1511 1126, 0086 153 1511 1127, 0086 153 1511 1128, 0086 153 1511 1129, 0086 153 1511 1130, 0086 153 1511 1131, 0086 153 1511 1132, 0086 153 1511 1133, 0086 153 1511 1134, 0086 153 1511 1135, 0086 153 1511 1136, 0086 153 1511 1137, 0086 153 1511 1138, 0086 153 1511 1139, 0086 153 1511 1140, 0086 153 1511 1141, 0086 153 1511 1142, 0086 153 1511 1143, 0086 153 1511 1144, 0086 153 1511 1145, 0086 153 1511 1146, 0086 153 1511 1147, 0086 153 1511 1148, 0086 153 1511 1149, 0086 153 1511 1150, 0086 153 1511 1151, 0086 153 1511 1152, 0086 153 1511 1153, 0086 153 1511 1154, 0086 153 1511 1155, 0086 153 1511 1156, 0086 153 1511 1157, 0086 153 1511 1158, 0086 153 1511 1159, 0086 153 1511 1160, 0086 153 1511 1161, 0086 153 1511 1162, 0086 153 1511 1163, 0086 153 1511 1164, 0086 153 1511 1165, 0086 153 1511 1166, 0086 153 1511 1167, 0086 153 1511 1168, 0086 153 1511 1169, 0086 153 1511 1170, 0086 153 1511 1171, 0086 153 1511 1172, 0086 153 1511 1173, 0086 153 1511 1174, 0086 153 1511 1175, 0086 153 1511 1176, 0086 153 1511 1177, 0086 153 1511 1178, 0086 153 1511 1179, 0086 153 1511 1180, 0086 153 1511 1181, 0086 153 1511 1182, 0086 153 1511 1183, 0086 153 1511 1184, 0086 153 1511 1185, 0086 153 1511 1186, 0086 153 1511 1187, 0086 153 1511 1188, 0086 153 1511 1189, 0086 153 1511 1190, 0086 153 1511 1191, 0086 153 1511 1192, 0086 153 1511 1193, 0086 153 1511 1194, 0086 153 1511 1195, 0086 153 1511 1196, 0086 153 1511 1197, 0086 153 1511 1198, 0086 153 1511 1199, 0086 153 1511 1200

III 工厂网站: www.rksfluid.com

IV 工厂邮箱: rksfluid@rksfluid.com

V 工厂认证: GB, 质量管理体系, 环境管理体系, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI 工厂产品: 工业管道, 工业阀门, 工业法兰, 工业管件, 工业设备, 工业配件, 工业材料, 工业工程 / 工业服务 / 工业贸易, 工业解决方案

Q: 貴社が提供する製品の耐用年数はどのくらいですか？

A: 約10年です。

A: 1. 製品の品質を向上させるために、

Q: 貴社が提供する製品の品質を向上させるために、

A: 製品の品質を向上させるために、100%の品質管理を実施しています。また、2つの品質管理システムを採用しています。

製品の品質を向上させるために、TUV, API, WRAS, CE, ISO

製品の品質を向上させるために、DIN, ASME, BS EN, JIS, API, AWWA

Q: 貴社が提供する製品の品質を向上させるために、

A: RKSfluid 製品の品質を向上させるために、20年間のR&Dを実施しています。また、70以上の品質管理システムを採用しています。