



RKSfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve




Check Valve



Pipe Fittings

DESIGN FEATURES

- RANGE**
- For CI, DI, STL and AC pipes
 - **DN50-DN1000**
 - The body & gasket fit **9 kinds of pipe** with nominal diameters
 - The saddles – Can be used for **all pipe types**



- RELIABLE**
- **EPDM gasket** to EN681-1, mechanically inserted on Series 1425

- ANTI-CORROSION**
- Epoxy or cathaphoresis coating
 - Thickness: Epoxy powder coating of **200-250µm**
 - Temperature : Spraying temperature over **200 °C**. Doesn't fade, even wipe with **diethyl ether**.

MATERIAL

- Epoxy powder:  , Earth Best!
- Nuts: **DACROMET®** or **GEOMET®** , Earth Best!
- Cast iron: **EN-GJS-400-15**, nodularity over **95%**!



APPLICATION SCENARIO



Industrial water application



Hydroelectric generation



Sewage treatment



Water treatment



Water supply and drainage



Water transport



Pipe network in house



Irrigation



Our Factory



Company Advantages



i 100% high level ex-factory inspection

centers 2 professional testing centers

reference 21 years of professional experience

IV 2 years quality assurance, repair and replacement

Standard GB, ISO 9001, TUV CE, ISO 9001,

ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI 认证: ISO 9001, ISO 14001, OHSAS 18001, CE, PED, WRC WRAS, KTW, API 6D, API609

Exhibition Photos



Our Certificates



认证: ISO 9001, ISO 14001, OHSAS 18001, CE, PED, WRC WRAS, KTW, API 6D, API609

认证: ISO 9001, ISO 14001, OHSAS 18001, CE, PED, WRC WRAS, KTW, API 6D, API609

认证: ISO 9001, ISO 14001, OHSAS 18001, CE, PED, WRC WRAS, KTW, API 6D, API609
A: 认证, 认证, Hydraulic, 认证 RKSfluid 认证

Q: 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

A: RKSfluid 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

Q: 100% 100% 100% 100%

A: 100% 100% 100% 100% 2 ~ 5 100% 100% 100% 100% 100% 100% 100% 100%

Q: 100% 100%

A: 1 100% 100% 100% 100% 100% 100%

100%: 100% 100% 100% 100% 100% 100% 100% 100%

A: 100% 100% 100% 100% 100% 100% 100% 100% 2 100% 100% 100% 100% 100% 100% 100% 100% 100%

100% 100% TUV, API, WRAS, CE, ISO 100%

100% 100% 100% 100% DIN, ASME, BS EN, JIS, API, AWWA

100%: 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

A: RKSfluid 100% 100% 100% 100% 100% 100% 100% 100% 20 100% 100% 100% 100% 70 100% 100% 100% 100% 100%