




RKsfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings

Product Description



Super Anti-corrosion
Epoxy powder coating **200-250µm**,
baking varnish over **200°C**,
use  material.

AkzoNobel



Free wedge nut, **reduces the stem bending forces** and at the same time enables it to be easily replaced.



The more compact new cap, reduces the water retention areas in order to **reduce the risk of bacterial growth**.



One piece stainless steel stem in for **better resistance to axial load and to with stand higher operating torques**.



Three locking tab for bayonet system prevents self-dismantling.



Dust guard integrating three O-ring shape, **prohibiting the introduction of foreign** bodies at the stem.



Male guiding system with composite sliding skate reduces the wear of the wedge against the body, allowing a smooth functionality and a longer life time of the valve.



Triple seal at the operating stem to ensure tightness with the test of time (2500 cycles).



New male composite sliding skate technology ensuring a low operating torque even under high differential pressure and preventing damage or corrosion generated by the friction.

Engineering Projects



Product Category



PTFE lined butterfly valve



Resilient seat butterfly valve



Double offset butterfly valve



Triple offset butterfly valve



Ball valve



Pipe fittings



ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI 认证：ISO 9001, ISO 14001, ISO 45001, API 6D, API 609, PED, WRC WRAS, KTW, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API 609

Our Factory



Exhibition Photos



Our Certificates



□ □ □ □ □ □ □ □ □ □ □ □ □ □

□□□□ : □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

0000: 000

0001: 000

QUESTION: _____?

Q: 鋼管、鋁管、銅管、樹脂管等各種管種に RKSfluid を適用できるのでしょうか？

Q: RKSfluid を適用できる管種はありますか？

A: RKSfluid は鋼管、鋁管、銅管、樹脂管等各種管種に適用できます。

Q: 鋼管に RKSfluid を適用する際の注意点は何ですか？

A: 鋼管に RKSfluid を適用する際は、管径 2 ～ 5 mm の範囲で適用可能です。

Q: RKSfluid の適用範囲は？

A: 1pc 以内の範囲で適用可能です。

Q: RKSfluid の適用範囲は？

A: RKSfluid は 100% の適用範囲で適用可能です。2 層の適用範囲で適用可能です。

Q: RKSfluid の適用範囲は？

A: RKSfluid は TUV, API, WRAS, CE, ISO などの規格に準拠しています。

Q: RKSfluid の適用範囲は？

A: RKSfluid は 20 年間の R&D を経て 70 以上の国で適用されています。