



RKsfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings

DESIGN FEATURES

DURABLE

- 1 piece non-welded PFA molded DSS Disc stem
- Precision casting WCB/CF8M Bodies

TRIPLE SEAL



- Triple Seal: Spring loaded Mechanical seal, Radial Lip Seal, FPM
- China ONLY ONE Manufacturer 400Mpa Isostatic pressing PTFE seat, consistent density

ANTI-CORROSION

- Material: Epoxy powder: AkzoNobel, Earth Best!
- Coating Thickness: 200-250 μ m
- Spraying temp: over 200 $^{\circ}$ C. Doesn't fade, even wipe with diethyl ether

QUALITY STANDARD

- 100% quality test, follow DIN, ASTM, JIS, GB/T, ISO, BS EN, API
- ONLY ONE Manufacturer get CE certification up to DN1800
- 2 years warranty. 15000 times On-off test, 30000 times Destructive experiment



APPLICATION SCENARIO



Industrial water application



Nuclear plant



Petroleum



Steel



Wastewater treatment



Acid-base



Food



Irrigation



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



area 100,000 square meters: 100,000 square meters of land area, 100,000 square meters of building area, 100,000 square meters of parking area, 100,000 square meters of green area, 100,000 square meters of water area, 100,000 square meters of other area.

centers 100,000 square meters: 100,000 square meters of land area, 100,000 square meters of building area, 100,000 square meters of parking area, 100,000 square meters of green area, 100,000 square meters of water area, 100,000 square meters of other area.

reference 100,000 square meters: 100,000 square meters of land area, 100,000 square meters of building area, 100,000 square meters of parking area, 100,000 square meters of green area, 100,000 square meters of water area, 100,000 square meters of other area.

IV 100,000 square meters: 100,000 square meters of land area, 100,000 square meters of building area, 100,000 square meters of parking area, 100,000 square meters of green area, 100,000 square meters of water area, 100,000 square meters of other area.
Standard 100,000 square meters: GB, 100,000 square meters, 100,000 square meters, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI 100,000 square meters: 100,000 square meters, 100,000 square meters, 100,000 square meters, 100,000 square meters, 100,000 square meters, 100,000 square meters, 100,000 square meters / 100,000 square meters / 100,000 square meters, 100,000 square meters

Q: 貴社が扱っている製品はどのような用途に使用されますか？

A: 農業機械、建設機械、Hrdraulic、各種産業機械等に RKSfluid 油を使用しています。油の性能が機械の寿命を延ばし、作業効率を向上させます。

Q: RKSfluid 油の品質はどのように保証されていますか？

A: RKSfluid 油は厳格な品質管理システムの下で生産され、国際的な規格に準拠しています。

Q: RKSfluid 油の価格競争力はどの程度ですか？

A: RKSfluid 油は高品質でありながら、コストパフォーマンスが非常に高く、2 ~ 5 年間の長期的な利益を確保することができます。

Q: RKSfluid 油の取り扱いにはどのような注意が必要ですか？

A: 1. 火気厳禁。2. 皮膚に付着した場合はすぐに洗ってください。

Q: RKSfluid 油の環境への影響はどの程度ですか？

A: 100% 生物分解性であり、環境への影響が非常に小さいです。2 年間の長期保証も提供しています。

品質保証書 TUV, API, WRAS, CE, ISO 9001 取得済み

規格基準 DIN, ASME, BS EN, JIS, API, AWWA

Q: RKSfluid 油の取り扱いにはどのような注意が必要ですか？

A: RKSfluid 油は高品質でありながら、コストパフォーマンスが非常に高く、20 年間の長期保証も提供しています。70 年間の歴史と実績があります。