



RKSfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings

DESIGN FEATURES

VERSATILE & RANGE

- Up to **27mm** of tolerance, **DN40 ~ DN300** stock reduction
- Allows angular deflection of **+/-5°**
- Covering most common pipe materials



USER FRIENDLY

- **Economical and applicable**
- **Easy Operation**

OPTIMAL SEALING

- **Unique gasket** with circumferential ribs sealing on corroded, scored or pitted pipes

DURABLE

- **Anti-corrosion**
- Thickness: Epoxy powder coating of **200-250µm**
- Temperature : Spraying temperature over **200 °C**. Doesn't fade, even wipe with **diethyl ether**

MATERIAL

- Epoxy powder:  , Earth Best!
- Nuts: **DACROMET®** or **GEOMET®** , Earth Best!
- Cast iron: **EN-GJS-500-7** , nodularity over **95%**!



APPLICATION SCENARIO



Industrial water application



Hydroelectric generation



Sewage treatment



Water treatment



Water supply and drainage



Water transport



Pipe network in house



Irrigation



Our Factory



RKSfluid®



Standard 认证: GB, ISO 9001, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI 认证: CE, ISO 9001, ISO 14001, ISO 45001, ISO 50001, ISO 26000, ISO 27001, ISO 28000 / ISO 29000 / ISO 31000, ISO 33000

Exhibition Photos



Our Certificates



认证: CE, ISO 9001, ISO 14001, ISO 45001, ISO 50001, ISO 26000, ISO 27001, ISO 28000 / ISO 29000 / ISO 31000, ISO 33000

认证: CE, ISO 9001, ISO 14001, ISO 45001, ISO 50001, ISO 26000, ISO 27001, ISO 28000 / ISO 29000 / ISO 31000, ISO 33000

认证: CE, ISO 9001, ISO 14001, ISO 45001, ISO 50001, ISO 26000, ISO 27001, ISO 28000 / ISO 29000 / ISO 31000, ISO 33000

认证: CE, ISO 9001, ISO 14001, ISO 45001, ISO 50001, ISO 26000, ISO 27001, ISO 28000 / ISO 29000 / ISO 31000, ISO 33000

A: 认证, 认证, Hrdraulic, 认证 RKSfluid 认证

认证: CE, ISO 9001, ISO 14001, ISO 45001, ISO 50001, ISO 26000, ISO 27001, ISO 28000 / ISO 29000 / ISO 31000, ISO 33000

Q:

A: RKSfluid

Q:

A: 2 ~ 5

Q:

A: 1

:

A: 100% 2

TUV, API, WRAS, CE, ISO

DIN, ASME, BS EN, JIS, API, AWWA

:

A: RKSfluid 20 R&D 70