



RKSfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve




Globe Valve




Check Valve




Pipe Fittings





The composite seat of the RKS valve is formed by permanently gluing an elastomer to a rigid gasket ring. In addition to superior seal integrity, this design makes valve installation easier while reducing high torque and premature failure due to rubber deformation. Modular design simplifies seat replacement and ensures economical maintenance



APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport





Our Factory



Company Advantages



i. 21 years of professional experience

ii. Independent research and development team, 28 top senior professional researchers

unction 100% high level ex-factory inspection

iv. 2 years quality assurance, repair and replacement

√ 认证证书: GB, 认证证书, 认证证书, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

vi 认证证书: 认证证书, 认证证书, 认证证书, 认证证书, 认证证书, 认证证书, 认证证书 / 认证证书 / 认证证书, 认证证书

Exhibition Photos



Q: RKSfluid 20 R & D 70

A: RKSfluid 20 R & D 70