



# RKSfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings

## Product Description



Super Anti-corrosion  
Epoxy powder coating **200-250µm**,  
baking varnish over **200°C**,  
use  material.



Free wedge nut, **reduces the stem bending forces** and at the same time enables it to be easily replaced.



The more compact new cap, reduces the water retention areas in order to **reduce the risk of bacterial growth**.



One piece stainless steel stem in for **better resistance to axial load and to with stand higher operating torques**.



**Three locking tab** for bayonet system prevents self-dismantling.



Dust guard integrating three O-ring shape, **prohibiting the introduction of foreign bodies** at the stem.



**Male guiding system with composite sliding skate** reduces the wear of the wedge against the body, allowing a smooth functionality and a longer life time of the valve.



**Triple seal at the operating stem** to ensure tightness with the test of time (2500 cycles).



**New male composite sliding skate technology** ensuring a low operating torque even under high differential pressure and preventing damage or corrosion generated by the friction.

## Engineering Projects



## Product Category





area 详细情况: 详细情况

centers 详细情况  
详细情况

reference 详细情况  
详细情况

IV 详细情况

Standard 详细情况: GB, 详细情况, 详细情况, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI 详细情况: 详细情况, 详细情况, 详细情况, 详细情况, 详细情况, 详细情况, 详细情况 / 详细情况 / 详细情况, 详细情况

## Four factories



## Why choose us





A: 100% Hydraulic, Hydraulic, Hrdraulic, 100% Hydraulic RKSfluid 100% Hydraulic

Q: 100% Hydraulic

A: RKSfluid 100% Hydraulic

Q: 100% Hydraulic

A: 100% Hydraulic 2 ~ 5 100% Hydraulic

Q: 100% Hydraulic

A: 1 100% Hydraulic

Q: 100% Hydraulic

A: 100% Hydraulic 2 100% Hydraulic

100% Hydraulic TUV, API, WRAS, CE, ISO 100% Hydraulic

100% Hydraulic DIN, ASME, BS EN, JIS, API, AWWA

Q: 100% Hydraulic

A: RKSfluid 100% Hydraulic 20 100% Hydraulic 70 R & D 100% Hydraulic