



# RKSfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings



Resilient seat butterfly valve



Resilient seat butterfly valve



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: DI+ Nylon

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve



Double flange resilient seat butterfly valve



Short-neck butterfly valve for petroleum

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB, 5K/10K

Size:DN50-DN1000

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Flange

ANSI 125LB/150LB

Top Flange Standard:ISO5211

Size:2"-12"

Body: DI CI

Disc :Stainless Steel

Seat : EPDM, NBR, Viton

Connection:Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: CF8, CF8M

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB

Disc: CF8 +PTFE, CF8 +PFA

Seat: PTFE

Connection: Wafer, Lug, Flange



## APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



# Our Factory



## Company Advantages

01

21 years of professional experience

03

Independent research and development team  
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



RKSfluid 于 1997 年在中国成立，是一家专注于提供工业气体解决方案的领先企业。我们拥有先进的生产设施和专业的技术团队，致力于为客户提供高质量、高纯度的工业气体产品。我们的产品和服务广泛应用于化工、冶金、电子、医药等行业，深受客户的信赖和好评。

我们提供的气体产品包括氮气、氧气、氩气、氦气、氢气、二氧化碳、一氧化碳、天然气、液化石油气等。我们的产品符合国际和国内的各项标准，确保了产品的稳定性和可靠性。我们拥有完善的质量管理体系和严格的生产工艺，为客户提供全方位的技术支持和售后服务。

我们的产品符合 GB 标准，并通过了 ISO9001、TS、API 等国际认证。我们还获得了 TUV 颁发的 CE 认证，确保了产品的安全性和合规性。我们的生产基地位于交通便利、资源丰富的地区，能够快速响应客户的需求，提供及时、高效的配送服务。

我们的优势在于：GB, ISO, TUV 认证，CE 认证，ADWO-2000 认证，ISO9001, TS, API 认证。我们拥有完善的质量管理体系和严格的生产工艺，为客户提供全方位的技术支持和售后服务。

我们的优势在于：我们拥有先进的生产设施和专业的技术团队，致力于为客户提供高质量、高纯度的工业气体产品。我们的产品和服务广泛应用于化工、冶金、电子、医药等行业，深受客户的信赖和好评。

我们的优势在于：我们提供的气体产品包括氮气、氧气、氩气、氦气、氢气、二氧化碳、一氧化碳、天然气、液化石油气等。我们的产品符合国际和国内的各项标准，确保了产品的稳定性和可靠性。我们拥有完善的质量管理体系和严格的生产工艺，为客户提供全方位的技术支持和售后服务。

我们的优势在于：我们拥有先进的生产设施和专业的技术团队，致力于为客户提供高质量、高纯度的工业气体产品。我们的产品和服务广泛应用于化工、冶金、电子、医药等行业，深受客户的信赖和好评。

我们的优势在于：我们提供的气体产品包括氮气、氧气、氩气、氦气、氢气、二氧化碳、一氧化碳、天然气、液化石油气等。我们的产品符合国际和国内的各项标准，确保了产品的稳定性和可靠性。我们拥有完善的质量管理体系和严格的生产工艺，为客户提供全方位的技术支持和售后服务。

我们的优势在于：我们拥有先进的生产设施和专业的技术团队，致力于为客户提供高质量、高纯度的工业气体产品。我们的产品和服务广泛应用于化工、冶金、电子、医药等行业，深受客户的信赖和好评。

我们的优势在于：我们提供的气体产品包括氮气、氧气、氩气、氦气、氢气、二氧化碳、一氧化碳、天然气、液化石油气等。我们的产品符合国际和国内的各项标准，确保了产品的稳定性和可靠性。我们拥有完善的质量管理体系和严格的生产工艺，为客户提供全方位的技术支持和售后服务。

... RKS  
...  
...

... GB, ISO, ... TUV ... CE  
... ADWO-2000

ISO9001, TS, API ... & ...

...  
...  
...

Saddle: ...  
"..."  
...

...!  
...  
...

work ...

III ...

IV ...

Prodotto ... GB, ... TUV CE, ISO 9001,  
ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI ... / ... / ...





Q: 100%의 수분 함유를 허용하는 윤활유가 있습니까?

A: 네, 있습니다. RKSfluid 100% 수분 함유 윤활유는 RKSfluid 100% 수분 함유 윤활유입니다.

Q: RKSfluid 100% 수분 함유 윤활유는 무엇입니까?

A: RKSfluid 100% 수분 함유 윤활유는 RKSfluid 100% 수분 함유 윤활유입니다.

Q: RKSfluid 100% 수분 함유 윤활유는 무엇입니까?

A: RKSfluid 100% 수분 함유 윤활유는 RKSfluid 100% 수분 함유 윤활유입니다.

Q: RKSfluid 100% 수분 함유 윤활유는 무엇입니까?

A: RKSfluid 100% 수분 함유 윤활유는 RKSfluid 100% 수분 함유 윤활유입니다.

Q: RKSfluid 100% 수분 함유 윤활유는 무엇입니까?

A: RKSfluid 100% 수분 함유 윤활유는 RKSfluid 100% 수분 함유 윤활유입니다.

RKSfluid 100% 수분 함유 윤활유는 TUV, API, WRAS, CE, ISO

RKSfluid 100% 수분 함유 윤활유는 DIN, ASME, BS EN, JIS, API, AWWA

Q: RKSfluid 100% 수분 함유 윤활유는 무엇입니까?

A: RKSfluid 100% 수분 함유 윤활유는 RKSfluid 100% 수분 함유 윤활유입니다.