



DESIGN FEATURES

DURABLE

- No-pin connection, 1 pc blow-out proof stem
- DI/CI Nodularity over 95%

ANTI-CORROSION

- Material: Epoxy powder:  , Earth Best!
- Coating Thickness: 200-250µm
- Spraying temp: over 200°C. Doesn't fade, even wipe with diethyl ether

QUALITY STANDARD

- 100% quality test, follow DIN, ASTM, JIS, GB/T, ISO, BS EN, API
- ONLY ONE Manufacturer get CE certification up to DN1800
- 2 years warranty. 15000 times On-off test, 30000 times Destructive experiment





APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



area 项目地址: 项目地址

II 项目描述: 项目描述

reference 参考: 参考

IV 项目特点: 项目特点

Standard 标准: GB, 标准, 标准, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI 项目服务: 项目服务, 项目服务, 项目服务, 项目服务, 项目服务, 项目服务, 项目服务 / 项目服务 / 项目服务, 项目服务

Exhibition Photos



Our Certificates



Q: 100%의 수압을 견딜 수 있는 펌프를 찾고 있습니다.

A: RKSfluid는 100% 수압을 견딜 수 있는 다양한 펌프 모델을 보유하고 있습니다.

Q: 펌프의 작동 방식에 대해 알고 싶습니다.

A: 수압, 수온, Hrdraulic, 그리고 다양한 용도에 맞는 RKSfluid 펌프를 선택할 수 있습니다. 다양한 용도에 맞는 펌프를 선택할 수 있습니다.

Q: 펌프의 수명을 알고 싶습니다.

A: RKSfluid 펌프는 내구성이 뛰어나고 수명이 길어 신뢰할 수 있습니다.

Q: 펌프의 크기를 알고 싶습니다.

A: 다양한 용도에 맞는 펌프를 선택할 수 있으며 2 ~ 5 미터의 수압을 견딜 수 있습니다.

Q: 펌프의 성능을 알고 싶습니다.

A: 1 미터의 수압을 견딜 수 있는 다양한 펌프 모델을 보유하고 있습니다.

Q: 펌프의 성능을 알고 싶습니다.

A: 100% 수압을 견딜 수 있는 다양한 펌프 모델을 보유하고 있으며 2 미터의 수압을 견딜 수 있습니다.

인증: TUV, API, WRAS, CE, ISO 인증을 받았습니다.

인증: DIN, ASME, BS EN, JIS, API, AWWA 인증을 받았습니다.

Q: 펌프의 성능을 알고 싶습니다.

A: RKSfluid 펌프는 20 미터의 수압을 견딜 수 있으며 70 미터의 수압을 견딜 수 있습니다.