



RKSfluid®

A key Valve in Flow Control



Butterfly Valve

Ball Valve

Gate Valve

Globe Valve

Check Valve

Pipe Fittings



Resilient seat butterfly valve



Resilient seat butterfly valve



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: DI+ Nylon

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve



Double flange resilient seat butterfly valve



Short-neck butterfly valve for petroleum

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB, 5K/10K

Size:DN50-DN1000

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Flange

ANSI 125LB/150LB

Top Flange Standard:ISO5211

Size:2"-12"

Body: DI CI

Disc :Stainless Steel

Seat : EPDM, NBR, Viton

Connection:Wafer, Lug



PTFE Butterfly Valve



PTFE Butterfly Valve



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve



PTFE Butterfly Valve



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: CF8, CF8M

Seat: PTFE

Connection: Wafer, Lug, Flange

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB

Disc: CF8 +PTFE, CF8 +PFA

Seat: PTFE

Connection: Wafer, Lug, Flange

APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport





Our Factory



本公司 RKS 工廠自 1997 年開始，一直致力於為全球客戶提供高品質的工業閘門及配管產品。
 我們擁有先進的生產設備及技術團隊，確保每一個產品都符合國際標準。
 工廠設有完善的质量控制体系，从原材料采购到成品出厂，每一个环节都严格把关。
 我们的产品线覆盖广泛，包括各种规格的工业閘門、蝶阀、球阀等，能够满足不同行业的需求。
 此外，我们还提供定制化的生产服务，可根据客户的具体要求进行设计和制造。
 我们坚信，通过不懈的努力和持续的创新，我们将为全球客户提供更优质的产品和服务。

本公司产品符合 GB 标准，符合 ISO 9001 质量管理体系认证，符合 ISO 14001 环境管理体系认证，符合 TS 16949 汽车行业质量管理体系认证，符合 API 600 标准。产品符合 GB, ISO, TUV 认证，符合 CE 认证。

ADWO-2000, ISO9001, TS, API 认证。产品符合 GB 标准，符合 ISO 9001 质量管理体系认证，符合 ISO 14001 环境管理体系认证，符合 TS 16949 汽车行业质量管理体系认证，符合 API 600 标准。

产品符合 GB, ISO, TUV 认证，符合 CE 认证。ADWO-2000, ISO9001, TS, API 认证。产品符合 GB 标准，符合 ISO 9001 质量管理体系认证，符合 ISO 14001 环境管理体系认证，符合 TS 16949 汽车行业质量管理体系认证，符合 API 600 标准。

Exhibition Photos



Our Certificates

