



# RKsfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve




Gate Valve



Globe Valve



Check Valve



Pipe Fittings

## Product Description



Super Anti-corrosion  
Epoxy powder coating **200-250µm**,  
baking varnish over **200°C**,  
use  material.

AkzoNobel



Free wedge nut, **reduces the stem bending forces** and at the same time enables it to be easily replaced.



The more compact new cap, reduces the water retention areas in order to **reduce the risk of bacterial growth**.



One piece stainless steel stem in for **better resistance to axial load and to with stand higher operating torques**.



**Three locking tab** for bayonet system prevents self-dismantling.



Dust guard integrating three O-ring shape, **prohibiting the introduction of foreign** bodies at the stem.



**Male guiding system with composite sliding skate** reduces the wear of the wedge against the body, allowing a smooth functionality and a longer life time of the valve.



**Triple seal at the operating stem** to ensure tightness with the test of time (2500 cycles).



**New male composite sliding skate technology** ensuring a low operating torque even under high differential pressure and preventing damage or corrosion generated by the friction.

## Engineering Projects



## Product Category



PTFE lined butterfly valve



Resilient seat butterfly valve



Double offset butterfly valve



Triple offset butterfly valve



Ball valve



Pipe fittings





i) 项目可行性研究报告：项目可行性研究报告是项目前期工作的重要环节，主要对项目建设的必要性、可行性、经济效益、社会效益、环境效益等进行全面分析和论证，为项目决策提供科学依据。

ii) 项目初步设计：项目初步设计是在可行性研究报告的基础上，对项目建设的规模、标准、技术方案、工程概算等进行初步设计，为项目施工图设计提供依据。

unction 项目施工图设计：项目施工图设计是在初步设计的基础上，对项目建设的规模、标准、技术方案、工程概算等进行详细设计，为项目施工提供依据。

iv) 项目竣工验收：项目竣工验收是在项目施工完成后，对项目建设的规模、标准、技术方案、工程概算等进行验收，为项目投入使用提供依据。

v) 项目运营维护：项目运营维护是在项目投入使用后，对项目建设的规模、标准、技术方案、工程概算等进行运营维护，确保项目正常运行。

VI) 项目总结评价：项目总结评价是在项目运营维护结束后，对项目建设的规模、标准、技术方案、工程概算等进行总结评价，为项目后续建设提供借鉴。

## Four factories



## Why choose us



- 2 professional testing centers
- 28 senior professional researchers
- Independent research and development team



- 21 years of professional experience
- 100% high level ex-factory inspection
- 2 years quality assurance, repair and replacement



## Exhibition Photos



## Our Certificates



□ □ □ □ □ □ □ □ □ □ □ □ □ □

:

A: □□□□□□□□, □□□□□□□□, □□□□□□□□, □□□□□□□□, □□□□□□□□□□□□□□

:

**0000:** 00000000, 000000, HRDRAULIC, 00000000000000000000 RKSfluid Actuators  
0000000000000000000000000000 000000000000000000000000

**問:** 〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇?

A: RKSfluid

□□□ : □□□□□□□□□□□□□□

A: □□□□□□□□□□□□□□□□□□□□ 2 ~ 5 □□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Q:

[illegible][illegible]

A: 100% 2 100%

□□□□□□□□ TUV, API, WRAS, CE, ISO □□□□□□

□□□□□□□□□□□□□□□□ DIN, ASME, BS EN, JIS, API, AWWA

:

A: RKSfluid 20 R & D 70