

DESIGN FEATURES

HIGHLY CUSTOMIZABLE

- According to **customer requirements**

OPTIMAL SEALING

- AWWA-C219 **absolutely leakproof**
- Internal ebonite rubber lining

CLASSIC & STURDY DESIGN

- Longitudinal adjustment of **+/- 25mm**
- **Super large** Dia & Even pressures up to **100 bar**
- **Cost-effective**, alternative for duplex stainless steel on desalination application

APPLICATION

- Perfect solution for all standard and non-standard applications in challenging famous projects worldwide
- Desalination, water pipes and **various application**


DURABLE

- ANTI-CORROSION
- Thickness: **Epoxy powder** coating of **150-200µm**
- Temperature : Spraying temperature over **200 °C**. Doesn't fade, even wipe with **diethyl ether**

MATERIAL

- Epoxy powder:  , Earth Best!
- WRAS, KTW-W270, ACS approved materials
- Cast iron: nodularity over **95%!**
- Bolts, nuts & washers: Hot Dip Galvanized or Stainless Steel **AISI316-A4**





APPLICATION SCENARIO



Industrial water application



Hydroelectric generation



Sewage treatment



Water treatment



Water supply and drainage



Water transport



Pipe network in house



Irrigation



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

The diagram shows a horizontal beam of particles, represented by blue squares, moving from left to right. The beam is divided into two regions by a vertical step potential barrier. In the first region (to the left of the barrier), the particles are represented by blue squares. In the second region (to the right of the barrier), the particles are represented by blue circles. The beam is labeled with a blue arrow pointing to the right, and the distance between the two regions is labeled with a blue 'x'.

[illegible]

A: 本報告は、PKSfluid の開発状況を報告するものである。

A: PKCfluid □□□

Q: 2 ~ 5 years of experience in the field of fluid control systems?
A: 1

Q: MOQ

A: 1

Q: 100% of the total order value?

Q: 2 years of experience in the field of fluid control systems?
A: 1

Q: TUV, API, WRAS, CE, ISO

Q: DIN, ASME, BS EN, JIS, API, AWWA

Q: 20 years of experience in the field of fluid control systems?

A: RKSfluid 20 years of experience in R&D 70 years of experience in the field of fluid control systems