



# RKSfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings

## DESIGN FEATURES

### VERSATILE & RANGE

- Up to **27mm** of tolerance, **DN40 ~ DN300** stock reduction
- Allows angular deflection of **+/-5°**
- Covering most common pipe materials



### USER FRIENDLY

- **Economical and applicable**
- **Easy Operation**

### OPTIMAL SEALING

- **Unique gasket** with circumferential ribs sealing on corroded, scored or pitted pipes

### DURABLE

- **Anti-corrosion**
- Thickness: Epoxy powder coating of **200-250µm**
- Temperature : Spraying temperature over **200 °C**. Doesn't fade, even wipe with **diethyl ether**

### MATERIAL

- Epoxy powder:  , Earth Best!
- Nuts: **DACROMET®** or **GEOMET®** , Earth Best!
- Cast iron: **EN-GJS-500-7** , nodularity over **95%**!





# APPLICATION SCENARIO



Industrial water application



Hydroelectric generation



Sewage treatment



Water treatment



Water supply and drainage



Water transport



Pipe network in house



Irrigation



# Our Factory





## Company Advantages

01

21 years of professional experience

03

Independent research and development team  
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



I 工厂优势： 21年专业经验，拥有28名顶级专业研究人员

II 拥有独立研发团队，28名顶级专业研究人员

III 100%出厂前高水平检测

IV 2年质保、维修及更换



认证标准: GB, German Standard, American Standard, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI 设计: 外观设计, 包装设计, 包装设计, 包装设计, 包装设计, 包装设计, 包装设计, 包装设计 / 包装设计 / 包装设计, 包装设计

## Exhibition Photos



## Our Certificates



认证标准

认证: 认证, 认证, 认证, 认证, 认证, 认证, 认证, 认证

认证: 认证, 认证, 认证, 认证, 认证, 认证, 认证, 认证

认证: 认证, 认证, 认证, 认证, 认证, 认证, 认证, 认证?

认证: 认证, 认证, 认证, 认证, 认证, 认证, 认证, 认证 RKSfluid 认证, 认证, 认证, 认证, 认证, 认证, 认证, 认证

Q: 貴社が提供する製品の品質をどのように保証していますか？

A: RKSfluid は、すべての製品に対して厳格な品質管理システムを適用し、製品の信頼性を確保しています。

Q: 製品の耐用年数はどのくらいですか？

A: 製品の耐用年数は、使用環境やメンテナンス状況によって異なりますが、一般的に 2 ~ 5 年程度です。

Q: 製品のサイズはどのくらいですか？

A: 1pc の製品を提供しています。

Q: 製品の保証期間はどのくらいですか？

A: 製品の保証期間は 100% の品質保証を 2 年間の期間にわたって提供しています。

製品の品質管理には TUV, API, WRAS, CE, ISO

規格に準拠しています。DIN, ASME, BS EN, JIS, API, AWWA

Q: 製品の価格設定はどのように決定されていますか？

A: RKSfluid は、製品の R&D コストを 20%、製造コストを 70% として価格を設定しています。