



# RKSfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: CF8, CF8M

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB

Disc: CF8 +PTFE, CF8 +PFA

Seat: PTFE

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve



Resilient seat butterfly valve



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: DI+ Nylon

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve



Double flange resilient seat butterfly valve



Short-neck butterfly valve for petroleum

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB, 5K/10K

Size:DN50-DN1000

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Flange

ANSI 125LB/150LB

Top Flange Standard:ISO5211

Size:2"-12"

Body: DI CI

Disc :Stainless Steel

Seat : EPDM, NBR, Viton

Connection:Wafer, Lug





## APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport





# Our Factory



## Company Advantages

01

21 years of professional experience

03

Independent research and development team  
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



RKSfluid 公司成立于 1997 年，是一家专业从事工业流体控制系统的研发、生产和销售的高新技术企业。公司总部位于中国山东省潍坊市，拥有现代化的生产基地和研发中心。公司主要产品包括工业阀门、流量计、控制阀、执行器等，广泛应用于石油、化工、冶金、电力、制药等行业。公司秉承“质量第一、客户至上”的经营理念，为客户提供优质的产品和服务。

公司通过了 GB 质量管理体系认证，并通过了 ISO 9001 国际质量管理体系认证。此外，公司还通过了 TUV 认证，获得了 CE 认证。公司拥有完善的质量控制体系，确保产品的稳定性和可靠性。RKSfluid 产品广泛应用于全球多个国家和地区，深受客户的信赖和好评。

公司设有专门的 US Agent，为客户提供专业的技术支持和售后服务。我们致力于为全球客户提供最优质的产品和服务，不断提升客户满意度和忠诚度。

认证：GB, ISO, TUV, CE, ADWO-2000,

ISO9001, TS, API 认证。产品系列：球阀、蝶阀、截止阀、闸阀、止回阀、调节阀、减压阀、安全阀、放空阀、排污阀、疏水阀、过滤器、分离器、换热器、储罐、反应釜、塔器、管道、管件、法兰、螺栓、螺母、垫片、密封件、阀门配件、执行器、控制阀、流量计、变送器、仪表、附件、工具、备件、耗材、劳保用品、办公用品、五金工具、机电产品、仪器仪表、电线电缆、橡胶制品、塑料制品、金属材料、非金属材料、其他相关产品。

特别推出 Saddles 系列，采用“模块化设计”理念，为客户提供更加灵活、便捷的产品选择。我们承诺：产品质量过硬，交货及时，服务周到，是您工业流体控制系统的最佳选择！

联系方式：请致电我们的销售代表，我们将竭诚为您服务。

地址：中国山东省潍坊市高新技术产业开发区。电话：+86 536 8123456。传真：+86 536 8123457。电子邮箱：sales@rksfluid.com。网站：www.rksfluid.com

reference 请查阅我们的产品目录，了解详细的产品规格和性能参数。我们提供中英文对照的产品目录，方便您查阅。如有任何疑问，请随时联系我们。



IV

Standard : GB, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI

### Exhibition Photos







