



RKSfluid®


A key Valve in Flow Control




Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings



Resilient seat butterfly valve



Resilient seat butterfly valve



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: DI+ Nylon

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve



Double flange resilient seat butterfly valve



Short-neck butterfly valve for petroleum

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB, 5K/10K

Size:DN50-DN1000

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Flange

ANSI 125LB/150LB

Top Flange Standard:ISO5211

Size:2"-12"

Body: DI CI

Disc :Stainless Steel

Seat : EPDM, NBR, Viton

Connection:Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: CF8, CF8M

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB

Disc: CF8 +PTFE, CF8 +PFA

Seat: PTFE

Connection: Wafer, Lug, Flange



APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



RKSfluid 于 1997 年在中国成立，是一家专业从事工业流体控制系统的研发、生产和销售的高新技术企业。公司总部位于中国山东省，拥有先进的生产设备和完善的质量管理体系。RKSfluid 的产品广泛应用于石油、化工、冶金、电力、制药等行业，为客户提供高品质的流体控制解决方案。公司秉承“诚信、创新、服务”的经营理念，致力于为全球客户提供优质的产品和服务。

RKSfluid 符合 GB 国家标准，产品通过了 ISO9001 质量管理体系认证。此外，RKSfluid 还通过了 TUV 认证，符合 CE 标准。RKSfluid 的产品广泛应用于石油、化工、冶金、电力、制药等行业，为客户提供高品质的流体控制解决方案。

RKSfluid 拥有专业的 US Agent 团队，为客户提供专业的技术支持和售后服务。RKSfluid 的产品符合 GB、ISO、TUV 认证，符合 CE 标准。RKSfluid 的产品广泛应用于石油、化工、冶金、电力、制药等行业，为客户提供高品质的流体控制解决方案。

RKSfluid 的产品符合 GB、ISO、TUV 认证，符合 CE 标准。RKSfluid 的产品广泛应用于石油、化工、冶金、电力、制药等行业，为客户提供高品质的流体控制解决方案。RKSfluid 的产品符合 GB、ISO、TUV 认证，符合 CE 标准。RKSfluid 的产品广泛应用于石油、化工、冶金、电力、制药等行业，为客户提供高品质的流体控制解决方案。

RKSfluid 的产品符合 GB、ISO、TUV 认证，符合 CE 标准。RKSfluid 的产品广泛应用于石油、化工、冶金、电力、制药等行业，为客户提供高品质的流体控制解决方案。RKSfluid 的产品符合 GB、ISO、TUV 认证，符合 CE 标准。RKSfluid 的产品广泛应用于石油、化工、冶金、电力、制药等行业，为客户提供高品质的流体控制解决方案。

RKSfluid 的产品符合 GB、ISO、TUV 认证，符合 CE 标准。RKSfluid 的产品广泛应用于石油、化工、冶金、电力、制药等行业，为客户提供高品质的流体控制解决方案。RKSfluid 的产品符合 GB、ISO、TUV 认证，符合 CE 标准。RKSfluid 的产品广泛应用于石油、化工、冶金、电力、制药等行业，为客户提供高品质的流体控制解决方案。

Q: 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

A: 100%, 100%, Hrdraulic, 100% 100% 100% RKSfluid 100% 100% 100% 100%

Q: 100% 100% 100% 100% 100%

A: RKSfluid 100% 100% 100% 100% 100% 100% 100% 100%

Q: 100% 100% 100%

A: 100% 100% 100% 2 ~ 5 100% 100% 100% 100% 100% 100%

Q: 100% 100%

A: 1 100% 100% 100% 100% 100%

Q: 100% 100% 100% 100% 100% 100%

A: 100% 100% 100% 100% 100% 2 100% 100% 100% 100% 100% 100%

100% 100% TUV, API, WRAS, CE, ISO 100% 100%
100% 100% 100% DIN, ASME, BS EN, JIS, API, AWWA

Q: 100% 100% 100% 100% 100% 100% 100% 100%

A: RKSfluid 100% 100% 100% 20 100% 100% R&D 100% 70 100% 100% 100% 100%