



RKSfluid®
Proven Technology-Superior Features-Legendary Value



[illegible]

The image displays four views of a 2-inch ball valve, arranged in a 2x2 grid separated by a red crosshair. The top-left view is labeled 'Top View' and shows the valve from above, highlighting the blue handle with 'ON', 'OFF', and '2" BALL VALVES' markings. The top-right view is labeled 'Side View' and shows the valve from the side. The bottom-left view is a front view, and the bottom-right view is a back view, both showing the valve's internal structure and flanges. A large, semi-transparent 'RKSfluid' watermark is centered across the middle of the image.

The image displays four views of a 2-inch ball valve, arranged in a 2x2 grid separated by a red crosshair. The top-left view is labeled 'Top View' and shows the valve from above, highlighting the blue handle with 'ON', 'OFF', and '2" BALL VALVES' markings. The top-right view is labeled 'Side View' and shows the valve from the side. The bottom-left view is a front view, and the bottom-right view is a back view, both showing the valve's internal structure and flanges. A large, semi-transparent 'RKSfluid' watermark is centered across the middle of the image.

□□□□□□□□: 1/2" ~ 12" (DN15-DN300)





Partners





PTFE lined butterfly valve



Resilient seat butterfly valve



Double offset butterfly valve



Triple offset butterfly valve



Ball valve



Pipe fittings

Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



一、公司简介： 本公司是一家专业从事... 的高新技术企业...

二、产品优势： 1. 采用进口优质材料，品质卓越。 2. 拥有先进的生产设备和工艺，确保产品精度。

三、服务网络： 在全国各大城市设有分公司和办事处，提供及时、专业的售后服务。

四、未来展望： 我们将继续加大研发投入，不断创新，为客户提供更多优质产品和服务。

0000000000000000 V: GB, 0000000000000000, 000000000000000000, TUV CE, ISO 9001,
 ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

0000, 000000000000: 000000000000, 00000000, 000000000000, 000000000000, 00000000, 00000000
 0000, 000000 / 00000000 / 0000000000000000, 000000000000

Year	Percentage (%)
1950	7
1960	8
1970	9
1980	10
1990	12
2000	13
2010	14
2020	15
2030	15
2040	15
2050	15



[illegible]

: ?

Q:

[illegible]

Q:

□□□□ : □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

A: 100% 2 100%

□□□□□□□□□□□□□□ DIN, ASME, BS EN, JIS, API, AWWA

A: RKSfluid 20 R&D 70