


1. 2.



1. 2.

Model	DN200-DN1800
Pressure Rating	PN10 PN16 PN25 PN40
Material	Cast Iron
Temperature Range	≤80° C
Standards	EN 593 EN1074-1/2
Series	EN558 Series 13 EN1074-1/2 Series 14
Applications	Water, Air, Gas, Steam, Oil, Acid, Alkali, etc.

APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



COMPANY FACTORY



COMPANY INFORMATION



i 本公司拥有完善的质量管理体系，通过了 ISO 9001 认证，并严格按照标准执行。

ii 本公司拥有先进的 CNC 加工设备，能够满足各种复杂零件的加工需求，加工精度高，交货期快。

iii 本公司拥有专业的技术团队，能够为客户提供专业的技术支持和解决方案，确保产品质量。

iv 本公司拥有完善的安全管理体系，通过了 ISO 14001 认证，确保生产过程的安全。

v 本公司拥有完善的产品认证体系，通过了 GB, ISO 9001, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609 等认证。

VI 本公司拥有完善的产品认证体系，通过了 GB, ISO 9001, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609 等认证。

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

COMPANY QUALIFICATION



COMPANY EXHIBITION



Partners



Q: RKSfluid 27 R&D 70

A: RKSfluid 27 R&D 70