

DESIGN FEATURES



Features



- Use AkzoNobel material.
- Super Anti-corrosion
- Epoxy powder coating 200-250um,
- Baking varnish over 200°C,

NO.		
1	Body	GGG50
2	Dise	GGG40+EPDM
3	Wedge nut	C48600
4	Stem	SS431
5	Bonnet	GT450-10
6	Gasket	EPDM
7	Y-ring	EPDM85-90
8	Fix ring	CuZn21Si3/C69300
9	Thrust bearing	C69300
10	Seal ring	EPDM70
11	O ring	NBR
12	Retainer ring	POM
13	Bushing ring	POM
14	Gland	SS431
15	Dustproof ring	EPDM85
16	Dise core	GGG40
17	Bolt	SS316





Free wedge nut, reduces the stem bending forces and at the same time enables it to be easily replaced.



The more compact new cap, reduces the water retention areas in order to reduce the risk of bacterial growth.



One piece stainless steel stem in for better resistance to axial load and to with stand higher operating torques.



Three locking tab for bayonet system prevents self-dismantling.



Dust guard integrating three O-ring shape, prohibiting the introduction of foreign bodies at the stem.



Male guiding system with composite sliding skate reduces the wear of the wedge against the body, allowing a smooth functionality and a longer life time of the valve.



Triple seal at the operating stem to ensure tightness with the test of time (2500 cycles).



New male composite sliding skate technology ensuring a low operating torque even under high differential pressure and preventing damage or corrosion generated by the friction.



APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



COMPANY FACTORY



COMPANY INFORMATION



i 廠房及設備： 廠房及設備均採用最先進之電腦化生產設備及儀器。

ii 廠房及設備均採用 CNC 電腦化設備， 採用最先進之電腦化生產設備及儀器， 採用最先進之電腦化生產設備及儀器。

unit 採用最先進之電腦化生產設備及儀器。

iv 廠房及設備均採用最先進之電腦化生產設備及儀器。

v 廠房及設備均採用最先進之電腦化生產設備及儀器， TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI 廠房及設備： 廠房及設備均採用最先進之電腦化生產設備及儀器， 廠房及設備均採用最先進之電腦化生產設備及儀器， 廠房及設備均採用最先進之電腦化生產設備及儀器 / 廠房及設備均採用最先進之電腦化生產設備及儀器， 廠房及設備均採用最先進之電腦化生產設備及儀器

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

COMPANY QUALIFICATION



COMPANY EXHIBITION



Partners



faq

Q: How long does it take to receive the product after placing an order?
 A: It depends on the quantity and the product type. Generally, it takes 2-4 weeks.

Q: Can you provide technical support and training?
 A: Yes, we provide technical support and training for our products. We also offer RKSfluid Actuators for various applications.

Q: RKSfluid의 제품 라인업은 어떻게 구성되어 있나요?

A: RKSfluid는 다양한 산업용 펌프와 밸브를 포함한 다양한 제품 라인을 보유하고 있습니다.

Q: RKSfluid의 주요 제품군은 무엇인가요?

A: RKSfluid의 주요 제품군은 수직 다단 펌프, 수평 다단 펌프, 그리고 다양한 산업용 밸브입니다.

Q: RKSfluid의 MOQ는 얼마인가요?

A: 1pc부터 주문 가능합니다.

Q: RKSfluid의 제품 품질을 어떻게 보장하나요?

A: RKSfluid는 100%의 품질 검사를 실시하며, ISO 9001 인증을 보유하고 있습니다.

RKSfluid는 다양한 국제 표준을 준수하며, TUV, API, WRAS, CE, ISO 인증을 보유하고 있습니다.

또한, DIN, ASME, BS EN, JIS, API, AWWA 등 다양한 국제 표준을 준수합니다.

이러한 인증과 표준 준수를 통해 RKSfluid의 제품은 전 세계적으로 신뢰받고 있습니다.

Q: RKSfluid의 R&D 투자 비율은 얼마인가요?

A: RKSfluid는 R&D에 총 매출액의 70%를 투자하고 있습니다.

이러한 높은 R&D 투자 비율은 RKSfluid가 지속적으로 혁신적인 제품을 개발하고, 경쟁 우위를 확보하고 있음을 보여줍니다.