

## Product Description



### Super Anti-corrosion

Epoxy powder coating **200-250µm**, baking varnish over **200°C**, use  material.



Free wedge nut, reduces the **stem bending forces** and at the same time enables it to be easily replaced.



The more compact new cap, reduces the water retention areas in order to **reduce the risk of bacterial growth**.



One piece stainless steel stem in for better resistance to axial load and to withstand higher operating torques.



**Three locking tab** for bayonet system prevents self-dismantling.



Dust guard integrating three O-ring shape, prohibiting the introduction of foreign bodies at the stem.



**Male guiding system with composite sliding skate** reduces the wear of the wedge against the body, allowing a smooth functionality and a longer life time of the valve.



Triple seal at the operating stem to ensure tightness with the test of time (2500 cycles).



New male composite sliding skate technology ensuring a low operating torque even under high differential pressure and preventing damage or corrosion generated by the friction.

## Design standard

Design standard	BS EN 1171 ANSI
Flange	GB/T 17241.6-2008、 DIN 2633-1975、 BS EN1902-2
Face to face	GB/T 12221-2005、 ISO 5752-1988、 BS EN558-1(F4、 F5)
Test standard	EN12266

## Specification

Size	DN50-900
Pressure	PN10 PN16 class150
Medium	Water
Temperature	0°C~90°C

# PRODUCT DISPLAY



# SHIPPING PACKAGING



## COMPANY INFORMATION



公司名称：山东罗克福德流体控制设备有限公司  
公司地址：中国山东省临沂市兰山区经济开发区

主要产品：CNC 铣床，冲压机，注塑机，气动元件，液压元件，气液元件等。

Гидравлический насос

unit

Гидравлический насос

iv Гидравлический насос

v Гидравлический насос: GB, ГОСТ, DIN, ISO, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI Гидравлический насос: Гидравлический насос, Гидравлический насос, Гидравлический насос, Гидравлический насос, Гидравлический насос, Гидравлический насос / Гидравлический насос / Гидравлический насос, Гидравлический насос

## COMPANY FACTORY



# EXHIBITION



## COMPANY INFORMATION



A horizontal row of fifteen empty square boxes, intended for children to write their names in, likely as part of a classroom activity.

□□□: □□□□□□□□□, □□□□□, hrdraulic, □□□□□□□□□□□ RKSfluid Actuators

□□□: □□□□□□□□□□□□

... 2 ≈ 5 ...

||||: moq

A: 1 pc

A decorative horizontal bar consisting of a series of small, evenly spaced rectangular blocks.

TUV, API, WRAS, CE, ISO

DIN, ASME, BS EN, JIS, API, AWWA

.....