



DIMENSIONS

DN	A	B	C	D	E	L	Weight
40	92	65	49	48	59	43	0,8
50	107	65	49	48	59	43	1,3
65	127	80	63	60	78	46	1,6
80	142	94	69	70	91	64	2,8
100	162	117	97	88	110	64	4,0
125	192	145	121	115	142	70	5,5
150	218	170	145	134	170	76	8,0
200	273	224	197	182	222	89	13,5
250	328	265	234	223	264	114	24,4
300	378	310	284	260	310	114	33,0
350	438	360	333	300	360	127	46,3
400	489	410	379	355	414	140	62,0
450	539	450	415	382	450	152	100,0
500	594	505	472	435	505	152	107,0
600	695	624	579	536	605	178	158,0



COMPANY INFORMATION



i) 歡迎各界人士來廠參觀、指導、洽談業務。

ii) 本公司備有各種規格型號的 CNC 數控機床，專營各類精密加工，承接各類精密機械加工及零件加工。

unit 本公司備有各種規格型號的 CNC 數控機床，專營各類精密加工，承接各類精密機械加工及零件加工。

iv

v GB, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI : , , , , , / / ,



COMPANY INFORMATION



EXHIBITION



Q: How can I contact you?

A: You can contact us via email, phone, or website.

A: We have a website, email, and phone number.

Q: What are your products?

A: We specialize in hydraulic actuators, including RKSfluid Actuators, which are used in various industrial applications.

Q: What is your company's history?

A: RKSfluid has been established since 1998 and is a leading manufacturer of hydraulic actuators.

Q: What is your factory location?

A: Our factory is located in China, with a production capacity of 2 ~ 5 million units per year.

Q: What is your MOQ?

A: 1pc for most products, and larger quantities for custom orders.

Q: What are your certifications?

A: We are certified by 100% ISO 9001 and ISO 14001, and have passed various international standards.

Q: What are your standards?

A: We adhere to standards such as TUV, API, WRAS, CE, ISO, DIN, ASME, BS EN, JIS, API, and AWWA.

Q: What is your R&D team size?

A: RKSfluid has a dedicated R&D team of 20 members, with 70% of our revenue invested in research and development.