

Features



Air Release valve

Size range: DN25–DN300

Pressure ratings: PN10 PN16

Body: Ductile Iron

Trim: SS304 SS316 etc

Connection: ARVS/KARS–BPT threaded, KARX–Flanged

Working temperature: $-10^{\circ}\text{C} \sim +80^{\circ}\text{C}$

Technical specifications:

1. The valve is designed to automatically release air from the system during filling and to prevent air from re-entrating the system during operation.
2. The valve is suitable for use in systems with water, steam, or other fluids.
3. The valve is available in various sizes and pressure ratings.
4. The valve is made of ductile iron with stainless steel trim.
5. The valve complies with BS EN 1074-4.



DN25-DN50



DN50-DN300

Our Factory



RKSfluid 1997 年 1 月 1 日 成立，是一家专业从事工业阀门、管件、法兰、泵、压缩机、换热器、压力容器、特种设备的设计、制造、安装、维修、检测、检验、认证、培训、咨询、服务于一体的综合性企业。公司拥有一流的生产设备、先进的生产工艺、完善的质量管理体系、专业的技术人才、完善的售后服务体系，为客户提供全方位、高品质的产品和服务。公司通过了 ISO9001:2015 质量管理体系认证、ISO14001:2015 环境管理体系认证、OHSAS18001:2014 职业健康安全管理体系认证、CE 认证、CCC 认证、A2 级压力容器设计资质、特种设备制造许可证（压力管道）、特种设备制造许可证（压力容器）等。公司主要产品有：工业阀门、管件、法兰、泵、压缩机、换热器、压力容器、特种设备等。公司广泛应用于石油、化工、冶金、电力、制药、食品、轻工、纺织、机械、船舶、航空航天、国防军工等领域。公司秉承“诚信、创新、务实、共赢”的经营理念，以客户为中心，提供高品质的产品和服务，为客户创造价值。公司联系方式：电话：+86-10-64701111，网址：www.rksfluid.com。

... GB ...

... RKS ...

... TUV ...

... Adwo- 2000 ...

... ISO9001, TS, API ...

... bonnets, ...

... Saddles ...

... " ...

... !

i ...

ii ...

unction ...

iv ...

v ...

VI ...

... GB, ... TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

... / ...

...

...

Our Certificates



Exhibition Photos

