



DESIGN FEATURES

VERSATILE & RANGE

- Up to 28mm of tolerance, **DN40 ~ DN450** stock reduction
- Allows angular deflection of **+/-3°** per gasket
- Covering most common pipe materials



OPTIMAL SEALING

- **Unique gasket** with circumferential ribs sealing on corroded, scored or pitted pipes

DURABLE

- **ANTI-CORROSION**
- Thickness: **Epoxy powder coating of 200-250µm**
- Temperature : **Spraying temperature over 200°C**
- Doesn't fade, even wipe with **diethyl ether**

MATERIAL

- Epoxy powder: **AkzoNobel**, Earth Best!
- Nuts: **DACROMET®** or **GEOMET®**, Earth Best!
- Cast iron: **EN-GJS-500-7**, nodularity over **95%**!
- Flange Adaptors: for most common flange standards. **PN10/16/ANSI150** drilled

APPLICATION SCENARIO



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



area 项目地址: 项目地址

II 项目描述: 项目描述

reference 项目参考: 项目参考

IV 项目特点: 项目特点

Standard 项目标准: GB, 项目标准, 项目标准, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609

VI 项目服务: 项目服务, 项目服务, 项目服务, 项目服务, 项目服务, 项目服务 / 项目服务 / 项目服务, 项目服务

Q: RKSfluid의 제품 라인업은 어떻게 구성되어 있습니까?

A: RKSfluid는, Hrdraulic, RKSfluid의 다양한 라인업이 있으며 RKSfluid의 다양한 라인업이 있습니다.

Q: RKSfluid의 주요 제품군은 무엇입니까?

A: RKSfluid는 다양한 제품군을 보유하고 있으며, 이는 다양한 산업에 적용됩니다.

Q: RKSfluid의 제품 성능은 어떻게 평가됩니까?

A: RKSfluid의 제품은 2 ~ 5 년의 수명을 가지며, 이는 다양한 산업에 적용됩니다.

Q: RKSfluid의 제품 가격은 어떻게 됩니까?

A: RKSfluid의 제품은 다양한 가격 범위에 있으며, 이는 다양한 산업에 적용됩니다.

Q: RKSfluid의 제품은 어떤 인증을 받습니까?

A: RKSfluid의 제품은 100%의 품질을 보장하며, 이는 다양한 산업에 적용됩니다.

TUV, API, WRAS, CE, ISO 인증을 받으며, DIN, ASME, BS EN, JIS, API, AWWA 인증을 받습니다.

Q: RKSfluid의 제품은 어떤 산업에 적용됩니까?

A: RKSfluid의 제품은 20 년의 경험을 바탕으로 70 년의 경험을 바탕으로 다양한 산업에 적용됩니다.